Physics of Metals and Metallography, Volume 53, 1982

SUBJECT INDEX

Bold figures indicate the issue

Absorption band of nickel in the near ultraviolet range of the spectrum. On the asymmetry of the fundamental – **3**, 84
– spectra, L_{III} of tetravalent lanthanides in metallic compounds. X-ray – **4**, 85
– , ultrasonic, in tungsten and molybdenum in a strong magnetic field **2**, 83
Aftereffect, reverse mechanical, in copper deformed in torsion. Temperature dependence of the – **6**, 137
Aged chromium–nickel–manganese steels. Neutron diffraction investigation of structure laminations in – **3**, 188
– Cu–Ni and Cu–Ni–Fe alloys in the mictomagnetic range. Susceptibility and resistivity of – **4**, 64
Age-hardening alloy Nb–Zr–C. On the reason for the embrittlement of the – **3**, 143
Ageing after large deformations. Investigation of recrystallization processes of alloys with precipitation of γ'-phase during – **6**, 78
– , high-temperature, of alloy Al–1·3 at.% Cu–1·3 at.% Mg. Stage of coherent precipitation **4**, 135
– , high-temperature, of the alloy Al–1·3 at.% Cu–1·3 at.% Mg. Initial stage of loss of coherence **3**, 162
– , low-temperature, structure of the alloy Ti–10 at.% Mo during – **3**, 104
– of high-duty cast Al–Cu alloys. Electron microscopic investigation of the influence of small addtions on the – **3**, 138
– peculiarities of lead–tin alloys nad experimental testing of continuous decomposition theories **2**, 129
– steels with ε martensite structure **1**, 110
Alloy Ag–15 at.% Al, influence of isochronal annealing on the resistivity of – **4**, 154
– Al–1·3 at.% Cu–1·3 at.% Mg. High-temperature ageing of the – . Initial stage of loss of coherence **3**, 162
– Al–1·3 at.% Cu–1·3 at.% Mg, high-temperature ageing of – . Stage of coherent precipitation **4**, 135
– , aluminium–magnesium, reason for the double maxima of the matrix reflections of a dispersion hardening – **3**, 170
– , cast Al–Cu, electron microscopic investigation of the influence of small additions on the ageing of high-duty – **3**, 138

– , copper–gold, diffuse scattering and ordering energy of a – 1, 173
– CuAu, mechanical properties of ordered – 2, 172
– Fe–49% Ni, nuclear gamma resonance investigation of ordering in films of the – 3, 181
– Fe–18% Ni–3% Si, on the structure of the intermetallic phase precipitated during maraging of the – 3, 111
– Fe–3% Si, influence of deformation methods on crystallization texture in – 6, 69
– , heat-resistant eutectic, electron microscopic analysis of a – 6, 74
– , iron–nickel, orientation relations between ferrite and austenite during normal $\gamma \rightarrow \alpha$ transformation in an – 5, 186
– $La_{0.80}Al_{0.20}$, morphology of the fracture surface of amorphous – 6, 164
– , molybdenum, with dispersed nitride phase. Changes in crystallographic and microstructural texture during recrystallization of a – 5, 92
– Nb–Zn–C, on the reason for the embrittlement of the age-hardening – 3, 143
– Ni_3Ga, dislocation structure of ordered – 6, 147
– $Ni_{0.86}Mn_{0.14}$ and their connection with the electronic structure. Peculiarities of the optical properties of – 6, 47
– Ni_3Mn, influence of ordering on the optical properties of – 2, 72
– , niobium and niobium–zirconium, below 10 K. Thermal expansion of – 3, 193
– of iron with vanadium. Internal friction in an – 2, 193
– $Sm(Co_{0.86}Cu_{0.14})_7$ during heat treatment. Structural changes in – 2, 187
– Ti–10 at.% Mo during low-temperature ageing. Structure of the – 3, 104
Alloying on the elastic modulus of iron–nickel alloys. Mechanism of the effect of – 1, 35
Alloys, age-hardening, modelling the processes of dislocation movement in – . Influence of the nature of particle distribution in the matrix 5, 164
– , Al–Zn, nuclear magnetic resonance and the diamagnetic effect in – 3, 67
– AMG2 and D16 at temperatures in the range 135–673 K. Stress relaxation in aluminium and its – 4, 182
– , binary, influence of short-range order on enthalpy of formation of – 6, 158
– , Cu–Ni and Cu–Ni–Fe, in the mictomagnetic range. Susceptibility and resistivity of aged – 4, 64
– , Fe–Cr–Co–W, magnetic properties and structure of single crystals of – 5, 66
– , $Fe(Mn_xPt_{1-x})_3$, in the ordered state. Neutron diffraction investigation of – 2, 95
– , γ-FeNiCr(18), near the critical concentration. Peculiarities of the spin glass state of – 6, 51
– , Fe–Ni–Co–Ti, elastic strains of dispersed particles inherited by martensite from austenite, and peculiar features of the $\gamma \rightleftarrows \alpha$ transformation in – 2, 114
– Fe–Ni and Fe–Cr. Structure variations during annealing of the packet martensite of – 4, 163
– , Fe–Ni–Mo, of different degrees of purity. Martensitic $\gamma \rightarrow \alpha$ transformations in – 6, 83
– , ferromagnetic CuAu-type, in a magnetic field. The role of magnetoelastic energy in atomic ordering of – 5, 147
– , ferromagnetic, with *s–f* exchange. Anomalies in the concentration dependence of the lifetime of conduction electrons of – 5, 26
– , iron–manganese, magnetic state and electronic structure of – 2, 7
– , iron–manganese, with low manganese concentration. Ferro-antiferromagnetic interactions in – 1, 186

– , iron–nickel, mechanism of the effect of alloying on the elastic modulus of – 1, 35
– , load–tin, and experimental testing of continuous decomposition theories. Ageing peculiarities of – 2, 129
– , nickel–copper, magnetic properties of solid solutions of hydrogen in – 4, 47
– of copper with transition metals. Thermo-electromotive force of polycrystalline – 2, 124
– of Cu–Al–*X*, amplitude dependence of the dissipation of mechanical vibration energy in – 4, 115
– of iron, the crystallography of α'-martensite in – 5, 139
– , ordered, A–B–(C) with a b.c.c. lattice. Influence of vacancies on the diffusion of interstitial atoms in – 4, 32
– , palladium–platinum–hydrogen, strength and plasticity of – 6, 129
– , Pd–Ni, Pd–Co and Pd–Fe, anomalous Hall effect of – 1, 28
– , $Sm(Co, Cu)_5$, concerning the influence of decomposition of the supersaturated solid solution and eutectoid decomposition on the coercive force of – 5, 189
– , Sm–Co–Cu–Fe–Zr, for permanent magnets. Structure of – 2, 78
– $Sm(Co, Fe, Cu, Cr)_{7\cdot4}$, structure transformations and coercive force of – 4, 57
– $Sm(Er, Gd)_{1-x}Co_5$, magnetic properties and temperature coefficient of induction of – 4, 94
– , titanium–aluminium and titanium–tin, positron annihilation in – 4, 187
– , titanium, investigation of the structure of anomalous solid solutions of – 6, 104
– , titanium–niobium, with additions of silicon and germanium. Structure and superconductive properties of – 5, 79
– , titanium, with aluminium. Investigation of the concentration dependence of the mechanical properties and heat resistance of – 1, 142
– , two-phase titanium, formation and decomposition of α'' phase in – 6, 97
– , two-phase titanium, processes involved in decomposition of metastable phases in – 1, 84
– V_2Zr, V_2Hf and V_2Ta, Superconducting cubic Laves phases based on vanadium. Imperfect crystal structure of – 5, 52
– with precipitation of γ'-phase during ageing after large deformations. Investigation of recrystallization processes of – 6, 78
– $Y(Fe_{1-x}Co_x)_2$, crystal structure deformation of – 5, 184
Aluminium and its alloys AMG2 and D16 at temperatures in the range 133–673 K. Stress relaxation in – 4, 182
– , copper alloyed with, to micro- and macrodeformation. Structural stability and resistance of dispersion hardened – 1, 124
– , influence of, on the kinetics of secondary recrystallization of silicon iron 5, 181
– single crystals, correlation of dislocation density and residual resistivity of – 4, 193
Amplitude dependence of the dissipation of mechanical vibration energy in alloys of Cu–Al–*X* 4, 115
Analysis, electron microscopic, of heat-resistant eutectic alloy 6, 74
– , quantitative microfractographic, of ductile fracture in low alloyed steels 1, 157
Anisotropy, high, ferro- and ferrimagnets. Domain walls in – 6, 1
– , induced magnetic, on the role of stacking faults in the formation of – 3, 191
– , magnetocrystalline, of neodymium and terbium ions in RCo_5 compounds 4, 74
– of the elastic properties of textured metals and alloys with a hexagonal structure 1, 167

– , perpendicular, in crystalline and amorphous Co–Pd films. The nature of – 3, 57
Annealing, influence of isochronal, on the residual resistivity of alloy Ag–15 at.% Al 4, 154
– of the packet martensite of alloy Fe–Ni and Fe–Cr. Structure variations during – 4, 163
Anomalies in the concentration dependence of the lifetime of conduction electrons of ferromagnetic alloys with *s–f* exchange 5, 26
Anomalous Hall effect of Pd–Ni, Pd–Co and Pd–Fe alloys 1, 28
Antiferromagnetism, dipole, in coumpounds $RMo_6S_8(Se_8)$ 6, 22
Asymmetry, on the, of the fundamental absorption band of nickel in the near ultraviolet range of the spectrum 3, 84
Atomic ordering of ferromagnetic CuAu-type alloys in a magnetic field. The role of magnetoelastic energy in – 5, 147
Atoms, iron and cobalt, in single crystals of high-purity tin. Regular features of the diffusion motion of – 3, 176
Auger and X-ray spectroscopic investigation of layer of surface friction on steel 3, 133
Auger spectra of metals, theoretical investigation of intensity distribution in – 1, 1
Austenite and ferrite during normal $\gamma \rightarrow \alpha$ transformation in an iron–nickel alloy. Orientation relations between – 5, 186
– deformation at the transient stage. Structure formation and changes in the stress-strain diagram of – 1, 182
– , structure and substructure of, formed during heating of quenched and thermomechanically hardened steels 6, 88
Austenitic steel after rapid austenitization processes. Kinetic features of decomposition of supercooled – 5, 122
Austenitization processes, kinetic features of decomposition of supercooled austenitic steel after rapid – 5, 122
Austenitizing temperature and hot deformation on the mechanical parameter of steel 40KhN2MA. Influence of – 1, 58

Bainite, crystal geometry of cementite precipitation in lower – 3, 195
B.c.c. bases, The thermodynamic theory of ordered alloys. The role of heterophase fluctuations and new binary and other superstructures on – 5, 16
– lattice, influence of vacancies on the diffusion of interstitial atoms in ordered alloys A–B–(C) with a – 4, 32
– lattice, modelling of the initial stages of the decomposition of interstitial solid solutions in metals with a – 1, 51
– lattice, on the physical nature of the low-temperature embrittlement of metals with a – 1, 148
Beryllium single crystals in the basal plane. Electrical resistance of – 2, 64
Binding energy and thermodynamic stability of the phase Ni_3Al 3, 100
Body-centred cubic atomic packing. Cubic superstructures based on – 3, 28
Boron in molybdenum alloy welds. Distribution of trace impurities of – 5, 97
Boundary diffusion, on the possibility of using Fisher's model to describe the diffusion width of an interface and the coefficient of – 4, 120
– motion, on the, of a two-phase region during diffusion saturation 2, 203
– relaxation of chromium alloys on addition of rhenium and zirconium. Peculiarities of – 3, 148

Brittle fracture parameters and structure of heat improved low-alloy steel. Relation between – 2, 102
Bubble domains, influence of a weak planar steady magnetic field on the dynamic lattice parameters of – 6, 155
– materials, influence of the surface on the parameters of domain walls in plates of – 2, 44

Calculation of elastic moduli and linear expansion coefficients of axial textures with h.c.p. lattice 1, 176
– of parameters of tungsten diffusion in nickel by computer simulation 1, 97
– of short-range order parameters of solid solutions 6, 7
Carbide formation stage, structure of vanadium and molybdenum steels at the special – 4, 127
Cementite precipitation in lower bainite. Crystal geometry of – 3, 195
Cerium in the transcritical range. Thermodynamic properties of – 2, 1
Changes in crystallographic and microstructural texture during recrystallization of a molybdenum alloy with dispersed nitride phase 5, 92
– in the dislocation structure of a crystal. Influence of the annihilation of radiation point defects on – 4, 19
– in the stress-strain diagram of austenite deformation at the transient stage. Structure formation and – 1, 182
Charge density fluctuations in the ground state of the one-dimensional Hubbard model in the strong interaction range. Spatial correlation of 2, 33
Chromium alloys on addition of rhenium and zirconium. Peculiarities of boundary relaxation of – 3, 148
– , low-alloyed, influence of structure on the mechanical properties of – 4, 177
Coatings, influence of isothermal and thermal cycling treatments on the porosity and internal stresses in nickel films and – 1, 44
– , superconducting, based on ternary molybdenum sulphides. Investigation of the critical parameters of – 6, 59
Cobalt, magnetization anomalies of monocrystalline rare-earth compounds with – 3, 203
Coefficient of boundary diffusion, on the possibility of using Fisher's model to describe the diffusion width of an interface and the – 4, 120
Coercive force of alloys $Sm(Co, Fe, Cu, Zr)_{7\cdot4}$. Structure transformations and – 4, 57
– force of $Sm(Co, Cu)_5$ alloys. Concerning the influence of decomposition of the supersaturated solid solution and eutectoid decomposition on the – 5, 189
Cold rolling of molybdenum. Development of deformation texture during – . Dependence of orientations of the original state on the distribution function 4, 109
Competition between two mechanisms of failure in a polycrystal 4, 169
Composite, eutectic nickel–tungsten, crystallographic relations of the phases in a – 3, 118
Composition, influence of, on the structure of an oriented eutectic of system $Si–VSi_2$ 4, 150
Compound V_3Si, nuclear magnetic resonance in neutron irradiated – . Influence of annealing 3, 76
– V_3Si, optical method of determining the electronic characteristics of the – 3, 95
Compounds, monocrystalline rare-earth, with cobalt. Magnetization anomalies of – 3, 203
– , RCo_5, magnetocrystalline anisotropy of neodymium and terbium ions in – 4, 74
– $RMo_6S_8(Se_8)$, dipole antiferromagnetism in – 6, 72

Computer calculated crystallographic parameters of the reverse $\alpha \rightarrow \gamma$ martensitic transformation with allowance for the shear geometry and α phase tetragonality 2, 134
– simulation, calculation of parameters of tungsten diffusion in nickel by – 1, 97
Concentration dependence of the diffusion coefficient. X-ray diffraction investigation of the – 4, 159
– dependence of the lifetime of conduction electrons of ferromagnetic alloys with *s–f* exchange. Anomalies in the – 5, 26
– dependence of the mechanical properties and heat resistance of titanium alloys with aluminium. Investigation of the – 1, 142
– , low manganese, ferro-antiferromagnetic interactions in iron–manganese alloys with – 1, 186
– phase transitions during diffusion along phase and grain boundaries 4, 142
Conditions of plastic deformation. Dependence of the dislocation structure and mechanical properties of iron on – 3, 152
Conduction electrons of ferromagnetic alloys with *s–f* exchange. Anomalies in the concentration dependence of the lifetime of – 5, 26
Connection between magnetic hysteresis loop and phase dependence of mechanical energy of vibrations 6, 62
Copper deformed in torsion. Temperature dependence of the reverse mechanical aftereffect in – 6, 137
– , dispersion hardened, alloyed with aluminium to micro- and macrodeformation. Structural stability and resistance of – 1, 124
– , the solid solution of phosphorus in – 3, 198
– , the thermodynamic properties of hydrogen in certain parent binary solid solutions based on – 5, 100
Correlation of dislocation density and residual resistivity of aluminium single crystals 4, 193
Correlations, spatial, of charge density fluctuations in the ground state of the one-dimensional Hubbard model in the strong interaction range 2, 33
Crack, the interaction of a, and dislocation pile-up 5, 34
Creep conditions, investigation of rupture mechanisms of directional eutectic γ/γ'–MeC under – 6, 121
– rate of crystals. Influence of pulsating current frequency and external mechanical stress on the – 1, 162
– rate of dispersion hardening steel 12Kh1MF 1, 117
Critical concentration, peculiarities of the spin glass state of γ-FeNiCr(18) alloys near the – 6, 51
– parameters of superconducting coatings based on ternary molybdenum sulphides. Investigation of the – 6, 59
– parameters of triplex films used for optical data recording 2, 18
Crystal, dislocation structure of a, influence of the annihilation of radiation point defects on changes in the – 4, 19
– geometry of cementite precipitation in lower bainite 3, 195
– , heterogeneously stressed, dislocation and vacancy kinetics in a – 1, 129
– lattice state of V_2Zr and V_2Hf in the premartensitic temperature range. Investigation of superconducting cubic Laves phases based on vanadium. Change of – 6, 41
– structure deformation of alloys $Y(Fe_{1-x}Co_x)_2$ 5, 184

– structure of alloys V_2Zr, V_2Hf and V_2Ta, Superconducting cubic Laves phases based on vanadium. Imperfect – 5, 52
Crystalline potential, interpolation form factors of the – 4, 1
Crystallization of amorphous alloy $Fe_{85}B_{15}$ by absorption and conversion methods of Mössbauer spectroscopy. Study of the structure and first stages of – 5, 177
Crystallographic parameters of the reverse $\alpha \rightarrow \gamma$ martensitic transformation with allowance for the shear geometry and α phase tetragonality. Computer calculated – 2, 134
– relations of the phases in a eutectic nickel–tungsten composite 3, 118
Crystallography of difference dislocations in martensite and twin boundaries 1, 10
– , the, of α'-martensite in alloys of iron 5, 139
Crystals, Fe–3% Si, with the domain structure dynamics and electromagnetic losses. The interrelation of the lattice state of – 2, 68
– , influence of pulsating current frequency and external mechanical stress on the creep rate of – 1, 162
– , twin ferromagnetic, residual magnetization of an assemblage of – 3, 89
Cubic superstructures based on body-centred cubic atomic packing 3, 28
Cycling treatments on the porosity and internal stresses in nickel films and coatings. Influence of isothermal and thermal – 1, 44

Decomposition, discontinuous, the role of volume diffusion in – 2, 142
– , influence of, of the supersaturated solid solution and eutectoid decomposition on the coercive force of $Sm(Co, Cu)_5$ alloys. Concerning the – 5, 189
– of interstitial solid solutions in metals with a b.c.c. lattice. Modelling of the initial stages of the – 1, 51
– of metastable phases in two-phase titanium alloys. Processes involved in – 1, 84
– of α'' phase in two-phase titanium alloys. Formation and – 6, 97
– of supercooled austenitic steel after rapid austenitization processes. Kinetic features of – 5, 122
Deformation and rupture of metals at high temperature. Investigation of the process involved in the – 2, 164
– , cold, of a metastable α'' phase. Structure transformations during – 4, 104
– , crystal structure, of alloys $Y(Fe_{1-x}Co_x)_2$ 5, 184
– , high-temperature, on the delayed rupture of maraging steel. Influence of – 5, 171
– methods, influence of, on recrystallization texture in alloy Fe–3% Si 5, 69
– texture, development of, during cold rolling of molybdenum, Dependence of orientations of the critical state on the distribution function 4, 109
Deformations, large, investigation of recrystallization processes of alloys with precipitation of γ'-phase during ageing after – 6, 78
Deformed aluminium, recovery kinetics of – 5, 136
– crystal lattice. A chain of solid solution models. Model of a – 5, 1
– tungsten during rapid heating. Grain growth in – 5, 106
Density, charge, fluctuations in the ground state of the one-dimensional Hubbard model in the strong interaction range. Spatial correlations of – 2, 33
Dependence of nuclear magnetic resonance line width on the external pulsating magnetic field in magnetically ordered materials 6, 19

– of orientations of the original state on the distribution function. Development of deformation texture during cold rolling of molybdenum. – 4, 109
– of the dislocation structure and mechanical properties of iron on conditions of plastic deformation 3, 152
– of the mechanical properties and heat resistance of titanium alloys with aluminium. Investigation of the concentration – 1, 142
Determining the electronic characteristics of the compound V_3Si. Optical method of – 3, 95
Diamagnetic effect in Al–Zn alloys. Nuclear magnetic resonance and the – 3, 67
Diffuse scattering and ordering energy of a copper–gold alloys 1, 173
Diffusion along phase and grain boundaries. Concentration phase transitions during – 4, 142
– coefficient, X-ray diffraction investigation of the concentration dependence of the – 4, 159
– erosion of metals (copper–nickel alloys) 1, 72
– motion of iron and cobalt atoms in single crystals of high-purity tin. Regular features of the – 3, 176
– of intersitital atoms in ordered alloys A–B–(C) with a b.c.c. lattice. Influence of vacancies on the – 4, 32
– parameters of the interface. Asymptotic expansion and analysis of experiments 5, 110
– processes in an irradiated material. Kinetic equations of – 3, 37
– saturation, on the boundary motion of a two-phase region during – 2, 203
– width of an interface and the coefficient of boundary diffusion. On the possibility of using Fisher's model to describe the – 4, 120
– zone during interdiffusion. Kinetics of phase formation in a – . General theory 5, 6
– zone during interdiffusion. Kinetics of phase formation in a – . Phase formation in an electric field 5, 12
Dipoles, groups of, interaction of dislocation avalanches with – 2, 154
Dislocation and vacancy kinetics in a heterogeneously stressed crystal 1, 129
– avalanches with groups of dipoles. Interaction of – 2, 154
– density and residual resistivity of aluminium single crystals. Correlation of – 4, 193
– , mobile, segments by impurity atmospheres. Nucleation mechanism of the pinning of – 2, 159
– movement in age-hardening alloys. Modelling the processes of – . Influence of the nature of particle distribution in the matrix 5, 164
– pile-up, the interaction of a crack and – 5, 34
– structure and mechanical properties of iron on conditions of plastic deformation. Dependence of the – 3, 152
– structure of a crystal. Influence of the annihilation of radiation point defects on changes in the – 4, 19
– structure of ordered alloy Ni_3Ga 6, 147
– , two-layer, block boundaries in zinc. The structure of – 6, 141
Dislocations, difference, in martensite and twin boundaries. Crystallography of – 1, 10
– , influence of recombination of fluxes of point defects towards – 6, 13
Dispersion hardening aluminium–magnesium alloy. Reason for the double maxima of the matrix reflections of a – 3, 170
– hardened copper alloyed with aluminium to micro- and macrodeformation. Structural stability and resistance of – 1, 124

– hardening steel 12Kh1Mf. Creep rate of – 1, 117
Dissipation of mechanical vibration energy in alloys Cu–Al–*X*. Amplitude dependence of the – 4, 115
Distribution, intensity, in Auger spectra of metals. Theoretical investigation of – 1, 1
– of trace impurities of boron in molybdenum alloy welds 5, 97
Domain boundary hardening of layered superstructures. Theory of – 5, 152
– structure dynamics and electromagnetic losses. The interrelation of the lattice state of Fe–3% Si crystals with the – 2, 68
– walls in high anisotropy ferro- and ferrimagnets 6, 1
– walls in plates of bubble materials. Influence of the surface on the parameters of – 2, 44
– walls in thin iron–nickel films. Interaction of periodic – 2, 197
Ductile fracture in low alloyed steels. Quantitative microfractographic analysis of – 1, 157
Dynamic lattice parameters of bubble domains. Influence of a weak planar steady magnetic field on the – 6, 155
Dynamics of a lattice containing a vacancy–isotopic substitution complex 2, 54

Effect, diamagnetic, in Al–Zn alloys. Nuclear magnetic resonance and the – 3, 67
– of alloying on the elastic modulus of iron–nickel alloys. Mechanism of the – 1, 35
Effects, collective, in an assemblage of microcracks and the transition to macrofracture 2, 58
Elastic moduli and linear expansion coefficients of axial textures with h.c.p. lattice. Calculation of – 1, 176
– modulus of iron–nickel alloys. Mechanism of the effect of alloying on the – 1, 35
– strains of dispersed particles inherited by martensite from austenite, and peculiar features of the $\gamma \rightleftarrows \alpha$ transformation in Fe–Ni–Co–Ti alloys 2, 114
Electric field, Kinetic of phase formation in a diffusion zone during interdiffusion. Phase formation in an – 5, 12
Electrical resistance of beryllium single crystals in the basal plane 2, 64
Electron fluid of thin metallic films. Quantum waves in the – 2, 199
– microscopic investigation of the influence of small additions on the ageing of high-duty cast Al–Cu alloys 3, 138
– scattering by inhomogeneous solid solutions. The theory of X-ray hot neutron and – 5, 41
– transfer of hydrogen isotopes in tantalum. Quantum peculiarities of the – 5, 132
Electronic state of iron atoms in metallic "glass" $Fe_{40}Ni_{40}P_{16}B_4$. On the – 1, 189
– structure of Fe–Co films in the low-energy band of the spectrum. Influence of order–disorder phase transformation on the optical properties and – 3, 62
– structure of iron–manganese alloys. Magnetic state and – 2, 7
– structure, peculiarities of the optical properties of alloy $Ni_{0.86}Mn_{0.14}$ and their connection with the – 6, 47
Embrittlement, low-temperature, of metals with a b.c.c. lattice. On the physical nature of the – 1, 148
– of the age-hardening alloy Nb–Zr–C. On the reason for the – 3, 143
Energy, mechanical vibration, in alloys of Cu–Al–*X*, Amplitude dependence of the dissipation of – 4, 115
– of vibrations, mechanical, connection between magnetic hysteresis loop and phase dependence of – 6, 62

Enthalpy of formation of binary alloys. Influence of short-range order on – **6,** 158
Erosion, diffusion, of metals (copper–nickel alloys) **1,** 72
Eutectic γ/γ'–MeC after stress-rupture tests. Structural imperfections in directional – **6,** 111
– γ/γ'–MeC under creep conditions. Investigation of rupture mechanisms of directional – **6,** 121
– nickel–tungsten composite. Crystallographic relations of the phases in a – **3,** 118
Eutectoid decomposition on the coercive force of $Sm(Co, Cu)_5$ alloys. Concerning the influence of decomposition of the supersaturated solid solution and – **5,** 189
Exchange, *s–f*, anomalies in the concentration dependence of the lifetime of conduction electrons of ferromagnetic alloys with – **5,** 26
– , *s–d*, interaction on nuclear spin-lattice relaxation in ferromagnetic metals. Influence of – **4,** 42
– , *s–d*, model, phase transitions in the phenomenological – **3,** 158
Excitation, two-frequency, of magnetization oscillations of a thin magnetic film **5,** 75
Expansion, thermal, of niobium and a niobium–zirconium alloy below 10 K **3,** 193

Faceting of special high-angle tilt boundaries in gold films **2,** 184
Failure in a polycrystal. Competition between two mechanisms of – **4,** 169
Fatigue of polycrystalline zirconium at temperatures in the range 4·2–293 K **2,** 168
F.c.c. structure, free surface energy of metals with an – **2,** 149
Ferrimagnets, domain walls in high anisotropy ferro- and – **6,** 1
Ferrite and austenite during normal $\gamma \rightarrow \alpha$ transformation in an iron–nickel alloy. Orientation relations between – **5,** 186
Ferromagnet, model of a diluted, with magnetic moments dependent on the local environment **4,** 23
– with fluctuating parameters. Relaxation of surface spin waves in a – **6,** 36
Ferromagnetic metal film, transmission impedance of – **2,** 11
– metal in a magnetic field. Quantum oscillations of the susceptibility of a – **2,** 26
– metals, influence of *s–d* exchange interaction on nuclear spin-lattice relaxation in – **4,** 42
Ferromagnetism in YCo_2 powders produced by machine grinding **2,** 90
Ferromagnets, domain walls in high anisotropy ferri- and – **6,** 1
– , nonlinear magnetization dynamics in – . Dynamic and static solitons (review) **3,** 1
Film couple, polycrystalline PdAg, Low-temperature homogenization in – **5,** 191
– , metal, transmission impedance of ferromagnetic – **2,** 11
– , thin magnetic, two-frequency excitation of magnetization oscillations of a – **5,** 75
Films and wires, on the size effect in the longitudinal magnetoresistance of – **4,** 11
– , Co–Gd, nuclear gamma resonance of amorphous – **1,** 40
– , Co–Pd, the nature of perpendicular anisotropy in crystalline and amorphous – **3,** 57
– , Fe–Co, in the low-energy band of the spectrum. Influence of order–disorder phase transformation on the optical properties and electronic structure of – **3,** 62
– , gadolinium–cobalt, torque curve anomalies in amorphous – **4,** 81
– , gold, lattice dynamics and substructures of thin condensed – **5,** 70
– , iron–nickel, interaction of periodic domain walls in thin – **2,** 197
– of the alloy Fe–49% Ni. Nuclear gamma resonance investigation of ordering in – **3,** 181

– , textured ferromagnetic cobalt. Nuclear magnetic resonance in – 6, 161
– , thin metallic, quantum waves in the electron fluid of – 2, 199
– , triplex, used for optical data recording. Critical parameters of – 2, 18
Fisher's model to describe the diffusion width of an interface and the coefficient of boundary diffusion. On the possibility of using – 4, 120
Fluxes of point defects towards dislocations. Influence of recombinations on – 6, 13
Formation and decomposition of α'' phase in two-phase titanium alloys 6, 97
Fracture of steel, on the secondary naphthalin – 4, 190
– surface of amorphous alloy $La_{0.80}Al_{0.20}$. Morphology of the – 6, 164
Free surface energy of metals with an f.c.c. structure 2, 149

Glass, spin, state of γ-FeNiCr (18) alloys near the critical concentration. Peculiarities of the – 6, 51
Gold films, faceting of special high-angle tilt boundaries in – 2, 184
Grain boundaries, concentration phase transitions during diffusion along phase and – 4, 142
– growth in deformed tungsten during rapid heating 5, 106
– misorientations in molybdenum. Statistics of – 3, 122
Ground state of the one-dimensional Hubbard model in the strong interaction range. Spatial correlations of charge density fluctuations in the – 2, 33
Growth, grain, in deformed tungsten during rapid heating 5, 106

Hall effect, anomalous, of Pd–Ni, Pd–Co and Pd–Fe alloys 1, 28
Hardening of layered superstructures. Theory of domain boundary – 5, 152
H.c.p. lattice, calculation of elastic moduli and linear expansion coefficients of axial textures with – 1, 176
Heat effect of the $\omega \rightarrow \alpha$ transformation, and the T–p diagrams of titanium and zirconium 2, 190
– resistance of titanium alloys with aluminium. Investigation of the concentration dependence of the mechanical properties and – 1, 142
– treatment, structural changes in alloy $Sm(Co_{0.86}Cu_{0.14})_7$ during – 2, 187
Heating of quenched and thermomechanically hardened steels. Structure and substructure of austenite formed during – 6, 88
– , rapid, grain growth in deformed tungsten during – 5, 106
Hematite, the magnetoresistance of a weakly magnetic, synthetic single crystal of – 3, 73
Heterophase fluctuations and new binary and other superstructures on b.c.c. bases. The thermodynamic theory of ordered alloys. The role of – 5, 16
Homogenization, low-temperature, in polycrystalline PdAg film couples 5, 191
Hot deformation on the mechanical parameter of steel 40KhN2MA. Influence of austenitizing temperature and – 1, 58
– neutron, X-ray and electron scattering by inhomogeneous solid solutions. The theory of – 5, 41
Hubbard model in the strong interaction range. Spatial correlations of charge density fluctuations in the ground state of the one-dimensional – 2, 33
Hybridization of phonons and spin waves in complex magnetic crystals 1, 18
Hydrogen in nickel–copper alloys. Magnetic properties of solid solutions of – 4, 47
– isotopes in tantalum. Quantum peculiarities of the electron transfer of – 5, 132

– , the thermodynamic properties of, in certain parent binary solid solutions based on copper 5, 100
Hydrostatic pressure conditions, on the theory of magnetic first-order phase transitions under –. III. Order–disorder transitions 2, 38
Hysteresis loop, magnetic, and phase dependence of mechanical energy of vibrations. Connection between – 6, 62

Impedance, transmission, of ferromagnetic metal film 2, 11
Imperfections, structural, in directional eutectic γ/γ'–MeC after stress-rupture tests 6, 111
Impurity atmospheres, nucleation mechanism of the pinning of mobile dislocation segments by – 2, 159
– , zirconium, on the low-temperature specific heat of niobium. Influence of – 2, 205
Inclusions, ferromagnetic, martensitic transformations in a solid solution containing dispersed – 4, 98
Induction of alloys $Sm(Er, Gd)_{1-x}Co_5$. Magnetic properties and temperature coefficient of – 4, 94
Influence of aluminium on the kinetics of secondary recrystallization of silicon iron 5, 181
– of austenitizing temperature and hot deformation on the mechanical parameter of steel 40KhN2MA 1, 58
– of a weak planar steady magnetic field on the dynamic lattice parameters of bubble domains 6, 155
– of composition on the structure of an oriented autectic of system Si–VSi_2 4, 150
– of decomposition of the supersaturated solid solution and eutectoid decomposition on the coercive force of $Sm(Co, Cu)_5$ alloys. Concerning the – 5, 189
– of deformation methods on recrystallization texture in alloy Fe–3% Si 6, 69
– of high-temperature deformation on the delayed rupture of maraging steel 5, 171
– of isochronal annealing on the residual resistivity of alloy Ag–15 at.% Al 4, 154
– of isothermal and thermal cycling treatments on the porosity and internal stresses in nickel films and coatings 1, 44
– of order–disorder phase transformation on the optical properties and electronic structure of Fe–Co films in the low-energy band of the spectrum 3, 62
– of ordering on the optical properties of alloy Ni_3Mn 2, 72
– of oxygen on formation of a zone of difficult recrystallization in molybdenum 2, 119
– of pulsating current frequency and external mechanical stress on the creep rate of crystals 1, 162
– of recombination on fluxes of point defects towards dislocations 6, 13
– of relaxation processes on the mechanism and kinetics of the polymorphic transformation in thalium 3, 183
– of *s–d* exchange interaction on nuclear spin-lattice relaxation in ferromagnetic metals 4, 42
– of short-range order on enthalpy of formation of binary alloys 6, 158
– of small additions on the ageing of high-duty cast Al–Cu alloys. Electron microscopic investigation of the – 3, 138
– of structure on the mechanical properties of low-alloyed chromium 4, 177
– of the annihilation of radiation point defects on changes in the dislocation structures of a crystal 4, 19

– of the surface on the parameters of domain walls in plates of bubble materials 2, 44
– of vacancies on the diffusion of interstitial atoms in ordered alloys A–B–(C) with a b.c.c. lattice 4, 32
– of zirconium impurity on the low-temperature specific heat of niobium 2, 205
Intensity distribution in Auger spectra of metals. Theoretical investigation of – 1, 1
Interaction of dislocation avalanches with groups of dipoles 2, 154
– of periodic domain walls in thin iron–nickel films 2, 197
– range, spatial correlations of charge density fluctuations in the ground state of the one-dimensional Hubbard model in the strong – 2, 33
– , *s–d* exchange, on nuclear spin-lattice relaxation in ferromagnetic metals. Influence of – 4, 42
– , the, of a crack and dislocation pile-up 5, 34
Interactions, ferro-antiferromagnetic, in iron–manganese alloys with low manganese concentration 1, 186
Interdiffusion, kinetics of phase formation in a diffusion zone during –. General theory 5, 6
– , kinetics of phase formation in a diffusion zone during –. Phase formation in an electric field 5, 12
Interface, diffusion parameters of the – . Asymptotic expansions and analysis of experiments 5, 110
Intergranular rupture of certain metals by a high-power ultrasound. On the mechanisms of – 2, 181
Intermetallic phase precipitated during maraging of the alloy Fe–18% Ni–3% Si. On the structure of the – 3, 111
Internal friction in an alloy of iron with vanadium 2, 193
– friction in loaded single crystals of Cu–Al–Ni 2, 207
– stresses in nickel films and coatings. Influence of isothermal and thermal cycling treatments on the porosity and – 1, 44
Interpolation form factors of the crystalline potential 4, 1
Interrelation, the, of the lattice state of Fe–3% Si crystals with the domain structure dynamics and electromagnetic losses 2, 68
Interstitial atoms in ordered alloys A–B–(C) with a b.c.c. lattice. Influence of vacancies on the diffusion of – 4, 32
– solid solutions in metals with a b.c.c. lattice. Modelling of the initial stages of the decomposition of – 1, 51
Investigation, electron microscopic, of the influence of small additions on the ageing of high-duty cast Al–Cu alloys 3, 138
– , nuclear gamma resonance, of ordering in films of the alloy Fe–49% Ni 3, 181
– of recrystallization processes of alloys with precipitation of γ'-phase during ageing after large deformations 6, 78
– of rupture mechanisms of directional eutectic γ/γ'–MeC under creep conditions 6, 121
– of superconducting cubic Laves phases based on vanadium. Change of crystal lattice state of V_2Zr and V_2Hf in the premartensitic temperature range 6, 41
– of the concentration dependence of the mechanical properties and heat resistance of titanium alloys with aluminium 1, 142
– of the critical parameters of superconducting coatings based on ternary molybdenum sulphides 6, 59

– of the plastic deformation of nickel prestrengthened by ultrasonic radiation 1, 136
– of the process involved in the deformation and rupture of metals at high temperatures 2, 164
– of the structure of anomalous solid solutions of titanium alloys 6, 104
Ions, neodymium and terbium, in RCo_5 compounds. Magnetocrystalline anisotropy of – 4, 74
Iron atoms in metallic "glass" $Fe_{40}Ni_{40}P_{16}B_4$. On the electronic state of – 1, 189
– , dependence of the dislocation structure and mechanical properties of, on conditions of plastic deformation 3, 152
Irradiated material, kinetic equations of diffusion processes in an – 3, 37
Isothermal and thermal cycling treatments on the porosity and internal stresses in nickel . films and coatings. Influence of – 1, 44
Isotopes, hydrogen, in tantalum. Quantum peculiarities of the electron transfer of – 5, 132

Kinetic criterion, on the, of the ductile-brittle transition in solids 1, 179
– equations of diffusion processes in an irradiated material 3, 37
– features of decomposition of supercooled austenitic steel after rapid austenitization processes 5, 122
Kinetics, dislocation and vacancy, in a heterogeneously stressed crystal 1, 129
– of phase formation in a diffusion zone during interdiffusion. General theory 5, 6
– of phase formation in a diffusion zone during interdiffusion. Phase formation in an electric field 5, 12
– of secondary recrystallization of silicon iron. Influence of aluminium on the – 5, 181
– of the polymorphic transformation in thalium. Influence of relaxation processes on the mechanism and – 3, 183

Laminations, structure, in aged chromium–nickel–manganese steels. Neutron diffraction investigation of – 3, 188
Lanthanides, tetravalent, in metallic compounds. X-ray L_{III} absorption spectra of – 4, 85
Laser heating of steel. Phase and structure tranformations during – . I. Influence of the original structure 1, 77
Lattice containing a vacancy–isotopic substitution complex. Dynamics of a – 2, 54
– dynamics and substructures of thin condensed gold films 5, 70
– state of Fe–3% Si crystals with the domain structure dynamics and electromagnetic losses. The interrelation of the – 2, 68
Laves phases based on vanadium, Superconducting cubic – . Imperfect crystal structure alloys V_2Zr, V_2Hf and V_2Ta 5, 52
– , superconducting cubic, based on vanadium. Investigation of – . Change of crystal lattice state of V_2Zr and V_2Hf in the premartensitic temperature range 6, 41
Lifetime of conduction electrons of ferromagnetic alloys with *s–f* exchange. Anomalies in the concentration dependence of the – 5, 26
Linear expansion coefficients of axial textures with h.c.p. lattice. Calculation of elastic moduli and – 1, 176
Loss of coherence, High-temperature ageing of the alloy Al–1·3 at.% Cu–1·3 at.% Mg. Initial stage of – 3, 162
Losses, electromagnetic, the interrelation of the lattice state of Fe–3% Si crystals with the domain structure dynamics and – 2, 68

Macrodeformation, structural stability and resistance of dispersion hardened copper alloyed with aluminium to micro- and – 1, 124
Macrofracture, collective effects in an assemblage of microcracks and the transition to – 2, 58
Macroyield and microyield of silicon iron at temperatures 293–773 K 6, 133
Magnetic breakdown orbits in zinc. Thermoelectric power oscillations and – 4, 68
– crystals, hybridization of phonons and spin waves in complex – 1, 18
– field, external pulsating, in magnetically ordered materials. Dependence of nuclear magnetic resonance line width on the – 6, 19
– field, quantum oscillations of the susceptibility of a ferromagnetic metal in a – 2, 26
– field, strong, ultrasonic absorption in tungsten and molybdenum in a – 2, 83
– field, the role of magnetoelastic energy in atomic ordering of ferromagnetic CuAu-type alloys in a – 5, 147
– field, weak planar steady, on the dynamic lattice parameters of bubble domains. Influence of a – 6, 155
– first-order phase transitions under hydrostatic pressure conditions. On the theory of – . III. Order–disorder transitions 2, 38
– hysteresis loop and phase dependence of mechanical energy of vibrations. Connection between – 2, 62
– moments dependent on the local environment. Model of a diluted ferromagnet with – 4, 23
– properties and structure of single crystals of Fe–Cr–Co–W alloys 5, 66
– properties and temperature coefficient of induction of alloys $Sm(Er, Gd)_{1-x}Co_5$ 4, 94
– properties of monocrystalline $FeGe_2$ 4, 89
– properties of solid solutions of hydrogen in nickel–copper alloys 4, 47
– state and electronic structure of iron–manganese alloys 2, 7
– structures during concentration phase transitions in cubic solid solutions. Symmetry relation of – 3, 46
Magnetization anomalies of monocrystalline rare-earth compounds with cobalt 3, 203
– , nonlinear, dynamics in ferromagnets. Dynamics and static solitons (review) 3, 1
– oscillations of a thin magnetic film. Two-frequency excitation of – 5, 75
Magnetocrystalline anisotropy of neodymium and terbium ions in RCo_5 compounds 4, 74
Magnetoelastic energy in atomic ordering of ferromagnetic CuAu-type alloys in a magnetic field. The role of – 5, 147
Magnetoresistance, longitudinal, of films and wires. On the size effect in the – 4, 11
– , the, of a weakly magnetic synthetic single crystal of hematite 3, 73
Maraging of the alloy Fe–18% Ni–3% Si. On the structure of the intermetallic phase precipitated during – 3, 111
– steel 00Kh11N10M2T during $\alpha \rightleftarrows \gamma$ transformation. Structural changes and mechanical properties of – 1, 67
– steel, influence of high-temperature deformation on the delayed rupture of – 5, 171
Martensite and twin boundaries, crystallography of difference dislocations in – 1, 10
– , α'-, in alloys of iron. The crystallography of – 5, 139
– , packet, of alloys Fe–Ni and Fe–Cr. Structure variations during annealing of the – 4, 163
– , ε, structure, ageing steels with – 1, 110

Martensitic transformation in a solid solution containing dispersed ferromagnetic inclusions 4, 98
– transformation of titanium nickelide. Precipitation hardening during – 5, 119
– transformation, $\alpha \rightarrow \gamma$, with allowance for the shear geometry and α phase tetragonality. Computer calculated crystallographic parameters of the reverse – 2, 134
– $\gamma \rightarrow \alpha$ transformations in Fe–Ni–Mo alloys of different degrees of purity 6, 83
Materials, magnetically ordered. Dependence of nuclear magnetic resonance line width on the external pulsating magnetic field in – 6, 19
Mechanical parameter of steel 40KhN2MA. Influence of austenitizing temperature and hot deformation on the – 1, 58
– properties and heat resistance of titanium alloys with aluminium. Investigation of the concentration dependence of the – 1, 142
– properties of iron on conditions of plastic deformation. Dependence of the dislocation structure and – 3, 152
– properties of low-alloyed chromium. Influence of structure on the – 4, 177
– properties of maraging steel 00Kh11N10M2T during $\alpha \rightleftarrows \gamma$ transformation. Structural changes and – 1, 67
– properties of ordered alloy CuAu 2, 172
– stress on the creep rate of crystals. Influence of pulsating current frequency and external – 1, 162
– vibration energy in alloys of Cu–Al–*X*. Amplitude dependence of the dissipation of – 4, 115
Mechanism and kinetics of the polymorphic transformation in thalium. Influence of relaxation processes on the – 3, 183
– , nucleation, of the pinning of mobile dislocation segments by impurity atmospheres 2, 159
– of the effect of alloying on the elastic modulus of iron–nickel alloys 1, 35
Mechanisms of failure in a polycrystal. Competition between two – 4, 169
– , on the, of intergranular rupture of certain metals by a high-power ultrasound 2, 181
Metallic compounds, X-ray L_{III} absorption spectra of tetravalent lanthanides in – 4, 85
– "glass" $Fe_{40}Ni_{40}P_{16}B_4$, on the electronic state of iron atoms in – 1, 189
Metals, amorphous, towards a theory of self-diffusion – 6, 28
– and alloys with a hexagonal structure. Anisotropy of the elastic properties of textured – 1, 167
– , deformation and rupture of, at high temperatures. Investigation of the process involved in the – 2, 164
– , free surface energy of, with an f.c.c. structure 2, 149
– , intergranular rupture of certain, by a high-power ultrasound. On the mechanisms of – 2, 181
– , theoretical investigation of intensity distribution in Auger spectra of – 1, 1
– with a b.c.c. lattice. Modelling of the initial stages of the decomposition of interstitial solid solutions in – 1, 51
– with a b.c.c. lattice. On the physical nature of the low-temperature embrittlement of – 1, 148
Metastable α'' phase, structure transformations during cold deformation of a – 4, 104
– phases in two-phase titanium alloys. Processes involved in decomposition of – 1, 84

Method, optical, of determining the electronic characteristics of the compound V_3Si 3, 95
Methods, absorption and conversion, of Mössbauer spectroscopy. Study of the structure and first stages of crystallization of amorphous alloy $Fe_{85}B_{15}$ by – 5, 177
Microcracks, assemblage of, and the transition to macrostructure. Collective effects in an – 2, 58
Microdeformation, structural stability and resistance of dispersion hardened copper alloyed with aluminium to macro- and – 1, 124
Microyield and macroyield of silicon iron at temperatures 293–773 K 5, 133
Mictomagnetic range, susceptibility and resistivity of aged Cu–Ni and Cu–Ni–Fe alloys in the – 4, 64
Model of a deformed crystal lattice. A chain of solid solution models. – 5, 1
– of a diluted ferromagnet with magnetic moments dependent on the local environment 4, 23
– , phenomenological *s–d* exchange. Phase transitions in the – 3, 158
Modelling of the initial stages of the decomposition of interstitial solid solutions in metals with a b.c.c. lattice 1, 51
– the processes of dislocation movement in age-hardening alloys. Influence of the nature of particle distribution in the matrix 5, 164
Modulus, elastic, of iron–nickel alloys. Mechanism of the effect of alloying on the – 1, 35
Molybdenum and tungsten in a strong magnetic field. Ultrasonic absorption in – 2, 83
– , cold rolling of, development of deformation texture during – . Dependence of orientations of the original state on the distribution function 4, 109
– , influence of oxygen on formation of a zone of difficult recrystallization in – 2, 119
– , statistics of grain misorientations in – 3, 122
– sulphides, ternary, investigation of the critical parameters of superconducting coatings based on – 6, 59
– sulphides, ternary, $PbGa_xMo_6S_8$, $SnGa_xMo_6S_8$. Scaling laws for the pinning force in – 5, 58
Monocrystalline $FeGe_2$, magnetic properties of – 4, 89
– rare-earth compounds with cobalt. Magnetization anomalies of – 3, 203
Morphology of the fracture surface of amorphous alloy $La_{0\cdot80}Al_{0\cdot20}$ 6, 164
Mössbauer spectroscopy, study of the structure and first stages of crystallization of amorphous alloy $Fe_{85}B_{15}$ by absorption and conversion methods of – 5, 177
Motion of iron and cobalt atoms in single crystals of high-purity tin. Regular features of the diffusion – 3, 176
– on the boundary, of a two-phase region during diffusion saturation 2, 203

Nature, physical, of the low-temperature embrittlement of metals with a b.c.c. lattice. On the – 1, 148
– , the, of perpendicular anisotropy in crystalline and amorphous Co–Pd films 3, 57
Neodymium and terbium ions in RCo_5 compounds. Magnetocrystalline anisotropy of – 4, 74
Neutron diffraction investigation of $Fe(Mn_xPt_{1-x})_3$ alloys in the ordered state 2, 95
– diffraction investigation of structure laminations in aged chromium–nickel–manganese steels 3, 188
– irradiated compound V_3Si, nuclear magnetic resonance in – . Influence of annealing 3, 76

Nickel, calculation of parameters of tungsten diffusion in, by computer simulation **1,** 97
– films and coatings, influence of isothermal and thermal cycling treatments on the porosity and internal stresses in – **1,** 44
– in the near ultraviolet range of the spectrum. On the asymmetry of the fundamental absorption band of – **3,** 84
– prestrengthened by ultrasonic radiation. Investigation of the plastic deformation of – **1,** 136
Niobium, low-temperature specific heat of. Influence of zirconium impurity on the – **2,** 205
Nuclear gamma resonance investigation of ordering in films of the alloy Fe–49% Ni **3,** 181
– gamma resonance of amorphous Cu–Gd films **1,** 40
– magnetic resonance and the diamagnetic effect in Al–Zn alloys **3,** 67
– magnetic resonance in neutron irradiated compound V_3Si. Influence of annealing **3,** 76
– magnetic resonance in textured ferromagnetic cobalt films **6,** 161
– magnetic resonance in the V_3Si–H system **6,** 166
– magnetic resonance line width on the external pulsating magnetic field in magnetically ordered materials **6,** 19
– spin-lattice relaxation in ferromagnetic metals. Influence of *s–d* exchange interaction on – **4,** 42
Nucleation mechanism of the pinning of mobile dislocation segments by impurity atmospheres **2,** 159

Optical data recording, critical parameters of triplex films used for – **2,** 18
– method of determining the electronic characteristics of the compound V_3Si **3,** 95
– properties and electronic structure of Fe–Co films in the low-energy band of the spectrum. Influence of order–disorder phase transformation on the – **3,** 62
– properties of alloy Ni_3Mn. Influence of ordering on the – **2,** 72
Order, short-range, on enthalpy of formation of binary alloys. Influence of – **6,** 158
Order–disorder phase transformation on the optical properties and electronic structure of Fe–Co films in the low-energy band of the spectrum. Influence of – **3,** 62
– transitions. On the theory of magnetic first-order phase transitions under hydrostatic pressure conditons. III. – **2,** 38
Ordered alloy CuAu, mechanical properties of – **2,** 172
– alloy Ni_3Ga. Dislocation structure of – **6,** 147
– alloys A–B–(C) with a b.c.c. lattice. Influence of vacancies on the diffusion of interstitial atoms in – **4,** 32
– alloys, the thermodynamic theory of – . The role of heterophase fluctuations and new binary and other superstructures on b.c.c. bases **5,** 16
– state, neutron diffraction investigation of $Fe(Mn_xPt_{1-x})_3$ alloys in the – **2,** 95
Ordering energy of a copper–gold alloy. Diffuse scattering and – **1,** 173
– in films of the alloy Fe–49% Ni. Nuclear gamma resonance investigation of – **3,** 181
– , influence of, on the optical properties of alloy Ni_3Mn **2,** 72
Orientation relations between ferrite and austenite during normal $\gamma \rightarrow \alpha$ transformation in an iron–nickel alloy **5,** 186
Oxygen, influence of, on formation of a zone of difficult recrystallization in molybdenum **2,** 119

Palladium, electrical properties of ternary ordering solid solutions based on – 5, 88
Parameters of domain walls in plates of bubble materials. Influence of the surface on the 2, 44
– of tungsten diffusion in nickel by computer simulation. Calculation of – 1, 97
Particle distribution in the matrix. Modelling the processes of dislocation movement in age-hardening alloys. Influence of the nature of – 5, 164
Peculiarities of boundary relaxation of chromium alloys on addition of rhenium and zirconium 3, 148
– of the optical properties of alloy $Ni_{0\cdot86}Mn_{0\cdot14}$ and their connection with the electronic structure 6, 47
– of the spin glass state of γ-FeNiCr(18) alloys near the critical concentration 6, 51
Permanent magnets, structure of Sm–Co–Cu–Fe–Zr alloys for – 2, 78
Phase and structure transformations during laser heating of steel. I. Influence of the original structure 1, 77
– dependence of mechanical energy of vibrations. Connection between magnetic hysteresis loop and – 6, 62
– dispersed nitride, changes in crystallographic and microstructural texture during recrystallization of a molybdenum alloy with – 5, 92
– formation, kinetics of, in a diffusion zone during interdiffusion. General theory 5, 6
– formation, kinetics of, in a diffusion zone during interdiffusion. Phase formation in an electric field 5, 12
– Ni_3Al, binding energy and thermodynamic stability of the – 3, 100
– , α'', structure transformations during cold deformation of a metastable – 4, 104
– , α, tetragonality, computer calculated crystallographic parameters of the reverse $\alpha \rightarrow \gamma$ martensitic transformation with allowance for the shear geometry and – 2, 134
– transitions, concentraion, during diffusion along phase and grain boundaries 4, 142
– transitions in the phenomenological *s–d* exchange model 3, 158
– transitions under hydrostatic pressure conditions. On the theory of magnetic first-oder – . III. Order–disorder transitions 2, 38
Phases, crystallographic relations of the, in a eutectic nickel–tungsten composite 3, 118
Phenomenological *s–d* exchange model. Phase transitions in the – 3, 158
Phonons and spin waves in complex magnetic crystals. Hybridization of – 1, 18
Phosphorus in copper, the solid solution of – 3, 198
Pinning force in ternary molybdenum sulphides $PbGa_xMo_6S_8$, $SnGa_xMo_6S_8$. Scaling laws for the – 5, 58
– of mobile dislocation segments by impurity atmospheres. Nucleation mechanism of the – 2, 159
Plastic deformation, dependence of the dislocation structure and mechanical properties of iron on conditions of – 3, 152
– deformation of nickel prestrengthened by ultrasonic radiation. Investigation of the – 1, 136
Plasticity and strength of palladium–platinum–hydrogen alloys 6, 129
Plates of bubble materials. Influence of the surface on the parameters of domain walls in – 2, 44
Point defects on changes in the dislocation structure of a crystal. Influence of the annihilation of radiation – 4, 19
– defects towards dislocations. Influence of recombination on – 6, 13

Polycrystal, competititon between two mechanisms of failure in a – 4, 169
Polycrystalline alloys of copper with transition metals. Thermo-electromotive force of – 2, 124
Porosity and internal stresses in nickel films and coatings. Influence of isothermal and thermal cycling treatments on the – 1, 44
Positron annihilation in titanium–aluminium and titanium–tin alloys 4, 187
Potential, interpolation form factors of the crystalline – 4, 1
Powders, YCo_2, produced by machine grinding. Ferromagnetism in – 2, 90
Precipitation, cementite, in lower bainite. Crystal geometry of – 3, 195
– hardening during martensitic transformation of titanium nickelide 5, 119
– of γ'-phase during ageing after large deformations. Investigation of recrystallization processes of alloys with – 6, 78
Premartensitic temperature range, Investigation of superconducting cubic Laves phases based on vanadium. Change of crystal lattice state of V_2Zr and V_2Hf in the – 6, 41
Processes involved in decomposition of metastable phases in two-phase titanium alloys 1, 84
Properties, elastic, of textured metals and alloys with a hexagonal structure. Anisotropy of the – 1, 167
– , electrical, of ternary ordering solid solutions based on palladium 5, 88
– , optical, of alloy $Ni_{0.86}Mn_{0.14}$ and their connection with the electronic structure Peculiarities of the – 6, 47
– , the thermodynamic, of hydrogen in certain parent binary solid solutions based on copper 5, 100
Pseudoelasticity, temperature–stress criteria of – 5, 47
Pulsating current frequency and external mechanical stress on the creep rate of crystals. Influence of – 1, 162
Purity, different degrees of, martensitic $\gamma \rightarrow \alpha$ transformations in Fe–Ni–Mo alloys of – 6, 83

Quantitative microfractographic analysis of ductile fracture in low alloyed steels 1, 157
Quantum oscillations of the susceptibility of a ferromagnetic metal in a magnetic field 2, 26
– peculiarities of the electron transfer of hydrogen isotopes in tantalum 5, 132
– waves in the electron fluid of thin metallic films 2, 199
Quenched and thermomechanically hardened steels. Structure and substructuer of austenite formed during heating of – 6, 88

Radiation point defects on changes in the dislocation structure of a crystal. Influence of the annihilation of – 4, 19
– , ultrasonic, investigation of plastic deformation of nickel prestrengthened by – 1, 136
Rare-earth compounds with cobalt. Magnetization anomalies of monocrystalline – 3, 203
Recovery kinetics of deformed aluminium 5, 136
Recrystallization, different types of texture transformation during – 1, 101
– in molybdenum, influence of oxygen on formation of a zone of difficult – 2, 119
– of a molybdenum alloy with dispersed nitride phase. Changes in crystallographic and microstructural texture during – 5, 92
– processes of alloys with precipitations of γ'-phase during ageing after large deformations. Investigation of – 6, 78
– , secondary, of silicon iron. Influence of aluminium on the kinetics of – 5, 181
– texture in alloy Fe–3% Si. Influence of deformation methods on – 6, 69

Relation between brittle fracture parameters and structure of heat improved low-alloy steel 2, 102
– , symmetry, of magnetic structures during concentration phase transitions in cubic solid solutions 3, 46
Relaxation of surface spin waves in a ferromagnet with fluctuating parameters 6, 36
– processes on the mechanism and kinetics of the polymorphic transformation in thalium. Influence of – 3, 183
Residual magnetization of an assemblage of twin ferromagnetic crystals 3, 89
– resistivity of aluminium single crystals. Correlation of dislocation density and – 4, 193
Resistance, electrical, of beryllium single crystals in the basal plane 2, 64
– of dispersion hardened copper alloyed with aluminium to micro- and macro-deformation. Structural stability and – 1, 124
Resistivity and susceptibility of aged Cu–Ni and Cu–Ni–Fe alloys in the mictomagnetic range 4, 64
– , residual, of alloy Ag–15 at.% Al. Influence of isochronal annealing on the – 4, 154
Resonance, nuclear gamma, of amorphous Co–Gd films 1, 40
Rhenium and zirconium, peculiarities of boundary relaxation of chromium alloys on additions of – 3, 148
– in tungsten, volume diffusion of – 1, 92
Rupture and deformation of metals at high temperatures. Investigation of the process involved in the – 2, 164
– , delayed, of maraging steel. Influence of high-temperature deformation on the – 5, 171
– , intergranular, of certain metals by a high-power ultrasound. On the mechanisms of – 2, 181
– mechanisms of directional eutectic γ/γ'–MeC under creep conditons. Investigation of – 6, 121

Saturation, diffusion, on the boundary motion of a two-phase region during – 2, 203
Scaling laws for the pinning force in ternary molybdenum sulphides $PbGa_xMo_6S_8$, $SnGa_xMo_6S_8$ 5, 58
Self-diffusion in amorphous metals. Towards a theory of – 6, 28
Shear geometry and α phase tetragonality. Computer calculated crystallographic parameters of the reverse $\alpha \rightarrow \gamma$ martensitic transformation with allowance for the – 2, 134
Silicon iron at temperatures 293–773 K. Micro- and macroyield of – 6, 133
– iron, influence of aluminium on the kinetics of secondary recrystallization of – 5, 181
Simulation, computer, calculation of parameters of tungsten diffusion in nickel by – 1, 97
Single crystal of hematite, the magnetoresistance of a weakly magnetic synthetic – 3, 73
Single crystals, aluminium, correlation of dislocation density and residual resistivity of – 4, 193
– , beryllium, in the basal plane. Electrical resistance of – 2, 64
– of Cu–Al–Ni, internal friction in loaded – 2, 207
– of Fe–Cr–Co–W alloys. Magnetic properties and structure of – 5, 66
– of high-purity tin. Regular features of the diffusion motion of iron and cobalt atoms in 3, 176
Size effect, on the, in the longitudinal magnetoresistance of films and wires 4, 11
Solid solution containing dispersed ferromagnetic inclusions. Martensitic transformation in a – 4, 98

– models, a chain of – . Model of a deformed crystal lattice 5, 1
– , supersaturated, and eutectoid decomposition on the coercive force of $Sm(Co, Cu)_5$ alloys. Concerning the influence of decomposition of the – 5, 189
– , the, of phosphorus in copper 3, 198
Solid solutions, anomalous, of titanium alloys. Investigation of the structure of – 6, 104
– based on copper, the thermodynamic properties of hydrogen in certain binary – 5, 100
– , calculation of short-range order parameters of – 6, 7
– , inhomogeneous, the theory of X-ray, hot neutron and electron scattering by – 5, 41
– of hydrogen in nickel–copper alloys. Magnetic properties of – 4, 47
– , symmetry relation of magnetic structures during concentration phase transitions in cubic – 3, 46
– , ternary ordering, based on palladium. Electrical properties of – 5, 88
Solids, on the kinetic criterion of the ductile-brittle transition in – 1, 179
Solitons, Nonlinear magnetization dynamics in ferromagnets. Dynamic and static – (review) 3, 1
Spatial correlations of charge density fluctuations in the ground state of the one-dimensional Hubbard model in the strong interaction range 2, 33
Spectra, X-ray L_{III} absorption, of tetravalent lanthanides in metallic compounds 4, 85
Spetroscopic investigation of layers of surface friction on steel. Auger and X-ray – 3, 133
Spectrum, low-energy band on the, influence of order–disorder phase transformation on the optical properties and electronic structure of Fe–Co films in the – 3, 62
– , on the asymmetry of the fundamental absorption band of nickel in the near ultraviolet range of the – 3, 84
Spin glass state of γ-FeNiCr(18) alloys near the critical concentration. Peculiarities of the – 6, 51
– lattice relaxation, nuclear, in ferromagnetic metals. Influence of *s–d* exchange interaction on – 4, 42
– waves in complex magnetic crystals. Hybridization of phonons and – 1, 18
– waves, surface, in a ferromagnet with fluctuating parameters. Relaxation of – 6, 36
Stability of the phase Ni_3Al. Binding energy and thermodynamic – 3, 100
– , structural, and resistance of dispersion hardened copper alloyed with aluminium to micro- and macrodeformation 1, 124
Stacking faults in the formation of induced magnetic anisotropy. On the role of – 3, 191
Statistics of grain misorientations in molybdenum 3, 122
Steel, Auger and X-ray spectroscopic investigation of layers of surface friction on – 3, 133
– , heat improved low-alloy, relation between brittle fracture parameters and structure of – 2, 102
– 12Kh1MF, dispersion hardening, creep rate of – 1, 117
– 00Kh11N10M2T during $\alpha \rightleftarrows \gamma$ transformation. Structural changes and mechanical properties of maraging – 1, 67
– 40KhN2MA, influence of austenitizing temperature and hot deformation on the mechanical parameter of – 1, 58
– , laser heating of, phase and structure transformations during – . I. Influence of the original structure 1, 77
Steels, ageing, with ε martensite structure 1, 110

– , chromium–nickel–manganese, neutron diffraction investigation of structure laminations in aged – 3, 188
– , low alloyed, quantitative microfractographic analysis of ductile fracture in – 1, 157
– , vanadium and molybdenum, at the special carbide formation stage. Structure of – 4, 127
– , quenched and thermomechanically hardened, structure and substructure of austenite formed during heating of – 6, 88
Strength and plasticity of palladium–platinum–hydrogen alloys 6, 129
Stress relaxation in aluminium and its alloys AMG2 and D16 at temperatures in the range 133–673 K 4, 182
Stress rupture tests, structural imperfections in directional eutectic γ/γ'–MeC after – 6, 111
Stress strain diagram of austenite deformation at the transient stage. Structure and changes in the – 1, 182
Stresses, internal, in nickel films and coatings. Influence of isothermal and thermal cycling treatments on the porosity and – 1, 44
Structural changes and mechanical properties of maraging steel 00Kh11N10M2T during $\alpha \rightleftarrows \gamma$ transformation 1, 67
– changes in alloy $Sm(Co_{0.86}Cu_{0.14})_7$ during heat treatment 2, 187
– stability and resistance of dispersion hardened copper alloyed with aluminium to micro- and macrodeformation 1, 124
Structure and first stages of crystallization of amorphous alloy $Fe_{85}B_{15}$ by absorption and conversion methods of Mössbauer spectroscopy. Study of the – 5, 177
– and phase transformations during laser heating of steel. I. Influence of the original structure 1, 77
– and substructure of austenite formed during heating of quenched and thermomechanically hardened steels 6, 88
– and superconductive properties of titanium–niobium alloys with additions of silicon and germanium 5, 79
– formation and changes in the stress-strain diagram of austenite deformation at the transient stage 1, 182
– , hexagonal, anisotropy of the elastic properties of textured metals and alloys with a – 1, 167
– , influence of, on the mechanical properties of low-alloyed chromium 4, 177
– laminations in aged chromium–nickel–manganese steels. Neutron diffraction investigation of – 3, 188
– of a crystal, influence of the annihilation of radiation point defects in changes in the dislocation – 4, 19
– of anomalous solid solutions of titanium alloys. Investigation of the – 6, 104
– of an oriented eutectic of system Si–VSi_2. Influence of composition on the – 4, 150
– of heat improved low-alloy steel. Relation between brittle fracture parameters and – 2, 102
– of single crystals of Fe–Cr–Co–W alloys. Magnetic properties and – 5, 66
– of Sm–Co–Cu–Fe–Zr alloys for permanent magnets 2, 78
– of the alloy Ti–10 at.% Mo during low-temperature ageing 3, 104
– of vanadium and molybdenum steels at the special carbide formation stage 4, 127

– , on the, of the intermetallic phase precipitated during maraging of the alloy Fe–18% Ni–3% Si 3, 111
– peculiarities of tempered martensite. Concerning some –. 6, 117
– , the, of two-layer dislocation block boundaries in zinc 6, 141
– transformations and coercive force of alloys Sm(Co, Fe, Cu, Zr) $_{7\cdot4}$ 4, 57
– transformations during cold deformations of a metastable α″ phase 4, 104
– variations during annealing of the packet martensite of alloys Fe–Ni and Fe–Cr 4, 163
Substructure and structure of austenite formed during heating of quenched and thermomechanically hardened steels 6, 88
Substructures and lattice dynamics of thin condensed gold films 5, 70
Superconducting cubic Laves phases on vanadium. Imperfect crystal structure of alloys V_2Zr, V_2Hf and V_2Ta 5, 52
Superstructures, cubic, based on body-centred cubic atomic packing 3, 28
– , layered, theory of domain boundary of – 5, 152
– on b.c.c. bases. The thermodynamic theory of ordered alloys. The role of heterophase fluctuations and new binary and other – 5, 16
Surface energy, free, of metals with an f.c.c. structure 2, 149
– friction on steel. Auger and X-ray spectroscopic investigation of layers of – 3, 133
– , influence of the, on the parameters of domain walls in plates of bubble materials 2, 44
Susceptibility and resistivity of aged Cu–Ni and Cu–Ni–Fe alloys in the mictomagnetic range 4, 64
– of a ferromagnetic metal in a magnetic field. Quantum oscillations of the – 2, 26
System Si–VSi_2, oriented eutectic of. Influence of composition on the structure of an – 4, 150
– , V_3Si–H, nuclear magnetic resonance in the – 6, 166

Tantalum, quantum peculiarities of the electron transfer of hydrogen isotopes in – 5, 132
Temperature coefficient of induction of alloys $Sm(Er, Gd)_{1-x}Co_6$. Magnetic properties and – 4, 94
– dependence of the reverse mechanical aftereffect in copper deformed in torsion 6, 137
– stress criteria of pseudoelasticity 5, 47
Temperatures in the range 4·2–293 K. Fatigue of polycrystalline zirconium at – 2, 168
– in the range 133–673 K. Stress relaxation in aluminium and its alloys AMG2 and D16 at – 4, 182
Tempered martensite, concerning some structure peculiarities of – 6, 117
Terbium and neodymium ions RCo_5 compounds. Magnetocrystalline anisotropy of – 4, 74
Texture, crystallographic and microstructural, during recrystallization of a molybdenum alloy with dispersed nitride phase. Changes in – 5, 92
– transformation during recrystallization. Different types of – 1, 101
Textured metals and alloys with a hexagonal structure. Anisotropy of the elastic properties of – 1, 167
Textures, axial, with h.c.p. lattice, calculation of elastic moduli and linear expansion coefficients of – 1, 176
Thalium, influence of relaxation processes on the mechanism and kinetics of the polymorphic transformation in – 3, 183
Theoretical investigation of intensity distribution in Auger spectra of metals 1, 1

Theories, continuous decomposition, ageing peculiarities of lead–tin alloys and experimental testing of – 2, 129
Theory of domain boundary hardening of layered superstructures 5, 152
– of self-diffusion in amorphous metals. Towards a – 6, 28
– , on the, of magnetic first-order phase transitions under hydrostatic pressure conditons. III. Order–disorder transitions 2, 38
– , the, of X-ray, hot neutron and electron scattering by inhomogeneous solid solutions 5, 41
Thermal and isothermal cyeling treatments on the porosity and internal stresses in nickel films and coatings. Influence of – 1, 44
– expansion of niobium and a niobium–zirconium alloy below 10 K 3, 193
Thermodynamic properties of cerium in the transcritical range 2, 1
– stability of the phase Ni_3Al. Binding energy and – 3, 100
– theory, the, of ordered alloys. The role of heterophase fluctuations and new binary and other superstructures on b.c.c. bases 5, 16
Thermoelectric power oscillations and magnetic breakdown orbits in zinc 4, 68
Thermo-electromotive force of polycrystalline alloys of copper with transition metals 2, 124
Tilt boundaries, special high-angle, in gold films. Faceting of – 2, 184
Tin, high-purity, regular features of the diffusion motion of iron and cobalt atoms in single crystals of – 3, 176
Titanium alloys, processes involved in decomposition of metastable phases in two-phase – 1, 84
– alloys with aluminium. Investigation of the concentration dependence of the mechanical properties and heat resistance of – 1, 142
– and zirconium, heat effect of the $\omega \rightarrow \alpha$ transformation, and the T–p diagrams of – 2, 190
– nickelide, precipitation hardening during martensitic transformation of – 5, 119
Torque curve anomalies in amorphous gadolinium–cobalt films 4, 81
Torsion, temperature dependence of the reverse mechanical aftereffect in copper deformed in – 6, 137
Trace impurities of boron in molybdenum alloy welds. Distribution of – 5, 97
Transcritical range, thermodynamic properties of cerium in the – 2, 1
Transformation, $\omega \rightarrow \alpha$, and the T–p diagrams of titanium and zirconium. Heat effect of the – 2, 190
– , $\gamma \rightarrow \alpha$, in an iron–nickel alloy. Orientation relations between ferrite and austenite during normal – 5, 186
– , $\gamma \rightleftarrows \alpha$, in Fe–Ni–Co–Ti alloys. Elastic strains of dispersed particles inherited by martensite from austenite, and peculiar features of the – 2, 114
– , polymorphic, in thalium. Influence of relaxation processes on the mechanism and kinetics of the – 3, 183
– , $\alpha \rightleftarrows \gamma$, structural changes and mechanical properties of maraging steel 00Kh11N 10M2T during – 1, 67
– , texture, during recrystallization. Different types of – 1, 101
Transformations, $\gamma \rightarrow \alpha$, in Fe–Ni–Mo alloys of different degrees of purity. Martensitic – 6, 83
– , phase and structure, during laser heating of steel. I. Influence of the original structure 1, 77
– , structure, and coercive force of alloys $Sm(Co, Fe, Cu, Zr)_{7.4}$ 4, 57

Transient stage, structure formation and changes in the stress–strain diagram iof austenite deformation at the – 1, 182
Transition, ductile-brittle, in solids. On the kinetics criterion of the – 1, 179
– to macrofracture, collective effects in an assemblage of microcracks and the – 2, 58
Transition metals, thermo-electromotive force of polycrystalline alloys of copper with – 2, 124
Transitions, concentration phase, in cubic solid solutions. Symmetry relation of magnetic structures during – 3, 46
Transmission impedance of ferromagnetic metal film 2, 11
Treatments, influence of isothermal and thermal cycling, on the porosity and internal stresses in nickel films and coatings 1, 44
True strain–true stress, on the construction of work hardening curves in coordinates – 3, 200
True stress–true strain, on the construction of work hardening curves in coordinates – 3, 200
Tungsten and molybdenum in a strong magnetic field. Ultrasonic absorption in – 2, 83
– diffusion in nickel by computer simulation. Calculation of parameters of – 1, 97
– , volume diffusion of rhenium in – 1, 92
Twin boundaries, crystallography of difference dislocations in martensite and – 1, 10
– ferromagnetic crystals. Residual magnetization of an assemblage of – 3, 89
Two-phase region during diffusion saturation. On the boundary motion of a – 2, 203
– titanium alloys, processes involved in decomposition of metastable phases in – 1, 84

Ultrasonic absorption in tungsten and molybdenum in a strong magnetic field 2, 83
– radiation, investigation of the plastic deformation of nickel prestrengthened by – 1, 136
Ultrasound, high-power, on the mechanisms of inergranular rupture of certain metals by a – 2, 181
Ultraviolet range of the spectrum. On the asymmetry of the fundamental absorption band of nickel in the near – 3, 84

Vacancies, influence of, on the diffusion of interstitial atoms in ordered alloys A–B–(C) with a b.c.c. lattice 4, 32
Vacancy and dislocation kinetics in a heterogeneously stressed crystal 1, 129
Vanadium, investigation of superconducting cubic Laves phases based on – . Change of crystal lattice state of V_2Zr and V_2Hf in the premartensitic temperature range 6, 41
– , superconducting cubic Laves phases based on – . Imperfect crystal structure of alloys V_2Zr, V_2Hf and V_2Ta 5, 52
Variations, structure, during annealing of the packet martensite of alloys Fe–Ni and Fe–Cr 4, 163
Vibration energy in alloys of Cu–Al–*X*. Amplitude dependence of the dissipation of mechanical – 4, 115
Vibrations, mechanical energy of, connection between magneic hysteresis loop and phase dependence of – 6, 62
Volume diffusion in discontinuous decomposition. The role of – 2, 142
– diffusion of rhenium in tungsten 1, 92

Waves, quantum, in the electron fluid of thin metallic films 2, 199
Welds, molybdenum alloy, distribution of trace impurities of boron in – 5, 97

Wires, on the size effect in the longitudinal magnetoresistance of films and – **4,** 11
Work hardening curves in coordinates true stress–true strain. On the construction of – **3,** 200

X-ray L_{III} absorption spectra of tetravalent lanthanides in metallic compounds **4,** 85
– and Auger spectroscopic investigation of layers of surface friction on steel **3,** 133
– diffraction investigation of the concentration dependence of the diffusion coefficient **4,** 159

Zinc, thermoelectric power oscillations and magnetic breakdown orbits in – **4,** 68
– , the structure of two-layer dislocation block boundaries in – **6,** 141
Zirconium and rhenium, peculiarities of boundary relaxation of chromium alloys on addition of – **3,** 148
– impurity on the low-temperature specific heat of niobium. Influence of – **2,** 205
– , polycrystalline, at temperatures in the range 4·2–293 K. Fatigue of – **2,** 168

AUTHOR INDEX

Bold figures indicate the issue

Abdulov, R. Z. *See* **Syutkina, V. I., Yasyreva, L. P.** and **Abdulov, R. Z.** **2,** 172

Afanas'yev, N. I. and **Yelsukova, T. F.** Ageing peculiarities of lead–tin alloys and experimental testing of continuous decomposition theories **2,** 129

Afanas'yev, N. I. and **Yelsukova, T. F.** The role of volume diffusion in discontinuous decomposition **2,** 142

Aksenov, V. K. *See* **Gindin, I. A., Volchok, O. I., Druinskiy, Ye. I.** and **Aksenov, V. K.** **1,** 136

Aleksashin, B. A., Verkhovskiy, S. V., Ugodnikova, L. A., Stepanov, A. P., Arkhipov, V. Ye. and **Goshchitskiy, B. N.** Nuclear magnetic resonance in neutron irradiated compound V_3Si. Influence of annealing **3,** 76

Alekseyev, A. A., Ber, L. S. and **Pavlenko, S. G.** High-temperature ageing of the alloy Al–1·3 at.% Cu–1·3 at.% Mg. Initial stage of loss of coherence **3,** 162

Alekseyev, A. A., Ber, L. B., Pavlenko, S. G. and **Klimovich, L. G.** High-temperature ageing of alloy Al–1·3 at.% Cu–1·3 at.% Mg. Stage of coherent precipitation **4,** 135

Alekseyevskiy, N. Ye. *See* **Lykhin, V. A., Nigmatulin, A. S., Alekseyevskiy, N. Ye.** and **Mitin, A. V.** **6,** 59

Aleshin, V. G. *See* **Kucharenko, Yu. N.** and **Aleshin, V. G.** **1,** 1

Al'shevskiy, Yu. L. and **Usikov, M. P.** Crystal geometry of cementite precipitation in lower bainite **3,** 195

Andreyev, L. A. and **Vyatkin, A. F.** The thermodynamic properties of hydrogen in certain parent binary solid solutions based on copper **5,** 100

Antonov, V. Ye., Belash, I. T., Degtyareva, V. F., Ponyatovskiy, Ye. G. and **Thiessen, V. G.** Magnetic properties of solid solutions of hydrogen in nickel–copper alloys **4,** 47

Aptekar', I. L., Libman, M. A. and **Potapov, N. N.** The role of magnetoelastic energy in atomic ordering of ferromagnetic CuAu-type alloys in a magnetic field **5,** 147

Arabey, Ye. V. *See* **Belyatskaya, I. S., Arabey, Ye. V.** and **Umpelev, A. M.** **5,** 66

Arbuzov, M. P., Pavlyukov, A. A., Opanasenko, O. S. and **Golub, N. S.** Structural changen in alloy $Sm(Co_{0\cdot86}Cu_{0\cdot14})_7$ during heat treatment **2,** 187

Arinkin, A. V. *See* **Pugachev, A. T., Arinkin, A. V., Churakova, N. P.** and **Cheremskoy, P. G.** **5,** 70

Arkhipov, V. Ye. *See* **Aleksashin, B. A., Verkhovskiy, S. V., Ugodnikova, L. A., Stepanov, A. P., Arkhipov, V. Ye.** and **Goshchitskiy, B. N.** **3,** 76

Arkhipova, N. K., Veretennikov, L. M., Klotsman, S. M., Tatarinova, G. N. and **Timofeyev, A. N.** Volume diffusion of rhenium in tungsten **1,** 92

Artem'ev, Ye. M., Baksheyev, N. V. and **Mushailov, E. S.** Nuclear magnetic resonance in textured ferromagnetic cobalt films **6,** 161

Avtonomov, G. A., Igolkina, L. S., Kosachev, L. S., Mochalov, B. A., Rakitskiy, A. M., Firstov, S. A. and **Shtauberg, M. I.** Influence of structure on the mechanical properties of low-alloyed chromium **4,** 177

Ayzentson, Ye. G., Veretennikov, I. B., Volyntsev, A. B. and **Spivak, L. V.** Temperature dependence of the reverse mechanical aftereffect in copper deformed in torsion **6,** 137

Bakirov, Zh. T. *See* **Istomin-Kastrovskiy, V. V., Bakirov, Zh. T., Postnikov, N. S.** and **Zolotorevskiy, V. S.** **3,** 138
Baksheyev, N. V. *See* **Artem'ev, Ye. M., Baksheyev, N. V.** and **Mushailov, E. S.** **6,** 161
Baksheyev, N. V. *See* **Mushailov, E. S., Baksheyev, N. V., Troynin, Yu. I.** and **Turpanov, I. A.** **1,** 186
Baldokhin, Yu. V., Kozlova, O. S., Makarov, V. A. and **Ovcharov, V. P.** Study of the structure and first stages of crystallization of amorphous alloy $Fe_{85}B_{15}$ by absorption and conversion methods of Mössbauer spectroscopy **5,** 177
Bannykh, O. A. *See* **Sizov, R. A., Zakharova, M. I., Novikov, I. I., Bannykh, O. A.** and **Gulyayev, V. N.** **3,** 188
Barinov, V. A. *See* **Yermakov, A. Ye., Yurchikov, Ye. Ye.** and **Barinov, V. A.** **2,** 90
Bar'yakhtar, V. G., Vangengeym, S. D. and **Kameneva, V. Yu.** Thermo-electromotive force of polycrystalline alloys of copper with transition metals **2,** 124
Bebenin, N. G. *See* **Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G.** and **Piratinskaya, I. I.** **4,** 89
Belash, I. T. *See* **Antonov, V. Ye., Belash, I. T., Degtyareva, V. F., Ponyatovskiy, Ye. G.** and **Thiessen, V. G.** **4,** 47
Belashchenko, D. K. Towards a theory of self-diffusion in amorphous metals **6,** 28
Belous, O. A. *See* **Trefilov, V. I., Belous, O. A.** and **Minakov, V. N.** **1,** 148
Belozerov, V. V. *See* **Fuks, M. Ya., Cheremskoy, P. G., Belozerov, V. V., Chuvurina, S. N.** and **Roshchenko, S. T.** **1,** 44
Belozerov, V. V. *See* **Tananko, I. A., Belozerov, V. V.** and **Makhatilova, A. I.** **6,** 117
Belyatskaya, I. S., Arabey, Ye. V. and **Umpelev, A. M.** Magnetic properties and structure of single crystals of Fe–Cr–Co–W alloys **5,** 66
Ber, L. B. *See* **Alekseyev, A. A., Ber, L. B., Pavlenko, S. G.** and **Klimovich, L. G.** **4,** 135
Ber. L. S. *See* **Alekseyev, A. A., Ber, L. S.** and **Pavlenko, S. G.** **3,** 162
Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D. and **Dobatkin, S. V.** Structure formation and changes in the stress-strain diagram of austenite deformation at the transient stage **1,** 182
Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D., Lyuttsau, A. V. and **Prokoshkina, V. G.** Structure and substructure of austenite formed during heating of quenched and thermomechanically hardened steels **6,** 88
Bernshteyn, M. L., Spektor, Ya. I. and **Degtyarev, V. N.** Influence of austenitizing temperature and hot deformation on the mechanical parameter of steel 40KhN2MA **1,** 58
Berseneva, F. N. *See* **Kuranov, A. A., Dyakina, V. P., Ignatenko, Yu. G., Berseneva, F. N.** and **Sasinova, R. A.** **5,** 88
Berseneva, F. N. *See* **Timofeyev, N. I., Berseneva, F. N.** and **Gromov, V. I.** **6,** 129
Berzina, I. G., Gusev, E. B., Kuznetsova, L. I., Minayeva, G. N. and **Pasholok, I. L.** Distribution of trace impurities of boron in molybdenum alloy welds **5,** 97
Beylin, V. M. *See* **Cherenkov, V. A.** and **Beylin, V. M.** **4,** 64
Bezgina, V. I. *See* **Yermolova, M. I., Bezgina, V. I., Karpova, I. G., Mishina, A. A., Solonina, O. P.** and **Sokolova, A. Yu.** **6,** 97
Blank, V. D., Konyayev, Yu. S., Mogutnov, B. M. and **Estrin, E. I.** Heat effect of the $\omega \rightarrow \alpha$ transformation, and the T–p diagrams of titanium and zirconium **2,** 190

Blanter, M. S. Modelling of the initial stages of the decomposition of interstitial solid solutions in metals with a b.c.c. lattice **1,** 51
Bochkarev, B. F. *See* **Kazakov, V. G., Panaetov, V. P., Popov, V. I.** and **Bochkarev, B. F.** **2,** 197
Bogdanov, V. I., Ruban, A. V. and **Fuks, D. L.** Binding energy and thermodynamic stability of the phase Ni_3Al **3,** 100
Borisov, A. B., Feygin, V. A. and **Shmatov, V. T.** The interaction of a crack and dislocation pile-up **5,** 34
Bortsov, A. N. *See* **Fonshteyn, N. M., Bronfin, B. M., Shifman, A. Z. Zhukova, Ye. N.** and **Bortsov, A. N.** **1,** 157
Braynin, G. E. and **Likhachev, V. A.** Crystallography of difference dislocations in martensite and twin boundaries **1,** 10
Brik, V. B. Influence of relaxation processes on the mechanism and kinetics of the polymorphic transformation in thalium **3,** 183
Brik, V. B. Regular features of the diffusion motion ofiron and cobalt atoms in single crystals of high-purity tin **3,** 176
Bronfin, B. M. *See* **Fonshteyn, N. M., Bronfin, B. M., Shifman, A. Z., Zhukova, Ye. N.** and **Bortsov, A. N.** **1,** 157
Bryshko, N. A. *See* **Gubernatorov, V. V., Bryshko, N. A., Sokolov, B. K., Sidorov, V. A., Gervas'yeva, I. V., Vorontsov, V. B.** and **Bukhvalov, O. B.** **6,** 69
Bukhvalov, O. B. *See* **Gubernatorov, V. V., Bryshko, N. A., Sokolov, B. K., Sidorov, V. A., Gervas'yeva, I. V., Vorontsov, V. B.** and **Bukhvalov, O. B.** **6,** 69
Bulygin, I. P. *See* **Kishkin, S. T., Svetlov, I. L., Logunov, A. V., Golubovskiy, Ye. P., Bulygin, I. P., Kats, E. L.** and **Nazarova, M. P.** **6.** 121
Burkhanov, A. M. *See* **Vlasov, K. B., Rinkevich, A. B.** and **Burkhanov, A. M.** **2,** 83
Burkova, L. T. *See* **Motulevich, G. P., Burkova, L. T.** and **Shubin, A. A.** **3,** 95
Burova, S. V. *See* **Ievlev, V. M., Ievlev, V. P.** and **Burova, S. V.** **2,** 184
Butkevich, L. M. *See* **Grabovetskaya, G. P., Butkevich, L. M.** and **Kryukova, A. M.** **4,** 150
Buynova, L. N., Kobytev, V. S., Popov, L. Ye. and **Starenchenko, V. A.** Dislocation structure of ordered alloy Ni_3Ga **6,** 147

Chaykovskiy, B. S. *See* **Yaroslavskiy, G. Ya., Kondrat'yev, S. Yu., Koval', Yu. N.** and **Chaykovskiy, B. S.** **4,** 115
Chaykovskiy, E. F., Timan, B. L. and **Taran, A. A.** Grain growth in deformed tungsten during rapid heating **5,** 106
Cheremskoy, P. G. *See* **Fuks, M. Ya., Cheremskoy, P. G., Belozerov, V. V., Chuvurina, S. N.** and **Roshchenko, S. T.** **1,** 44
Cheremskoy, P. G. *See* **Pugachev, A. T., Arinkin, A. V., Churakova, N. P.** and **Cheremskoy, P. G.** **5,** 70
Cherenkov, V. A. and **Beylin, V. M.** Susceptibility and resistivity of aged Cu–Ni and Cu–Ni–Fe alloys in the mictomagnetic range **4,** 64
Chirkina, L. A. *See* **Gindin, I. A., Chirkina, L. A.** and **Okovit, V. S.** **6,** 133
Chukalina, L. V. *See* **Gnesin, B. A., Zuyev, A. P., Karpov, M. I., Kireyko, V. V., Kopetskiy, Ch. V., Marchenko, V. A.** and **Chukalina, L. V.** **2,** 119
Churakova, N. P. *See* **Pugachev, A. T., Arinkin, A. V., Churakova, N. P.** and **Cheremskoy, P. G.** **5,** 70

Chuvurina, S. N. *See* **Fuks, M. Ya., Cheremskoy, P. G., Belozerov, V. V., Chuvurina, S. N.** and **Roshchenko, S. T.** 1, 44

Daneliya, Ye. P., Pazyuk, I. P., Rozenberg, V. M. and **Teplitskiy, M. D.** Structural stability and resistance of dispersion hardened copper alloyed with aluminium to micro- and macrodeformation 1, 124

Danilenko, V. M. A chain of solid solution models. Model of a deformed crystal lattice 5, 1

Danilyuk, V. I. *See* **Yesin, V. O., Porozkov, V. N.** and **Danilyuk, V. I.** 2, 149

Darovskikh, Ye. G. *See* **Naberezhnykh, V. P., Samoylenko, Z. A.** and **Darovskikh, Ye. G.** 1, 189

Degtyarev, V. N. *See* **Bernshteyn, M. L., Spektor, Ya. I.** and **Degtyarev, V. N.** 1, 58

Degtyareva, V. F. *See* **Antonov, V. Ye., Belash, L. T., Degtyareva, V. F., Ponyatovskiy, Ye. G.** and **Thiessen, V. G.** 4, 47

Dekhtyar, I. Ya., Fedchenko, R. G., Kupchishin, A. I., Mukashev, K. M. and **Rafalovskiy, V. A.** Positron annihilation in titanium–aluminium and titanium–tin alloys 4, 187

Demidenko, V. S. *See* **Kal'yanov, A. P., Demidenko, V. S.** and **Panin, V. Ye.** 2, 7

Demyanov, S. Ye. *See* **Gostishchev, V. I., Demyanov, S. Ye., Drozd, A. A.** and **Glinskiy, M.** 4, 68

Denisov, S. I. *See* **Gorobets, Yu. I., Denisov, S. I., Il'chishin, O. V.** and **Makmak, I. M.** 6, 155

Dmitriyev, V. P. *See* **Gufan, Yu. M.** and **Dmitriyev, V. P.** 3, 28

Dmitriyev, V. P. *See* **Gufan, Yu. M.** and **Dmitriyev, V. P.** 5, 16

Dobatkin, S. V. *See* **Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D.** and **Dobatkin, S. V.** 1, 182

Dobrovol'skiy, V. Ye., Trunin, I. I. and **Roshchupkin, A. D.** Creep rate of dispersion hardening steel 12Kh1MF 1, 117

Dolinin, F. I. and **Pamyatnykh, Ye. A.** Quantum oscillations of the susceptibility of a ferromagnetic metal in a magnetic field 2, 26

Dorofeyev, Yu. A. *See* **Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z., Petrov, S. B.** and **Sidorov, S. K.** 2, 95

Doroshek, S. I. Mechanism of the effect of alloying on the elastic modulus of iron–nickel alloys 1, 35

Drachinskiy, A. S. *See* **Vasil'yev, A. D., Drachinskiy, A. S., Lyubchik, A. M., Petrunin, G. A., Podrezov, Yu. N., Trefilov, V. I.** and **Shtyka, L. G.** 3, 143

Drozd, A. A. *See* **Gostishchev, V. I., Demyanov, S. Ye., Drozd, A. A.** and **Glinskiy, M.** 4, 68

Drozd, P. I., Poperenko, L. V. and **Shaykevich, I. A.** Peculiarities of the optical properties of alloy $Ni_{0.86}Mn_{0.14}$ and their connection with the electronic structure 6, 47

Druinskiy, Ye. I. *See* **Gindin, I. A., Volchok, O. I., Druinskiy, Ye. I.** and **Aksenov, V. K** 1, 136

Dubinin, S. F., Vologin, V. G., Sidorov, S. K., Syromyatnikov, V. N. and **Teploukhov, S. G.** Symmetry relation of magnetic structures during concentration phase transitions in cubic solid solutions 3, 46

Dubinko, V. I. and **Slezov, V. V.** Kinetic equations of diffusion processes in an irradiated material 3, 37

Dunayev, F. N. *See* **Glotova, L. S., Dunayev, F. N.** and **Yakovlev, G. P.** 6, 62

Dyakina, V. P. *See* **Kuranov, A. A., Dyakina, V. P., Ignatenko, Yu. G., Berseneva, F. N.** and **Sasinova, R. A.** 5, 88

Dyakina, V. P. *See* **Yesin, V. O., Krivonosova, A. S., Fedorova, T. G., Revun, S. A.** and **Dyakina, V. P.** 4, 193

D'yakonova, N. B. and **Lyasotskiy, I. V.** Structure of the alloy Ti–10 at.% Mo during low-temperature ageing **3,** 104
D'yakonova, N. B. *See* **Lyasotskiy, I. V.** and **D'yakonova, N. B.** **6,** 104
D'yakova, M. A. and **L'vova, Ye. A.** Processes involved in decomposition of metastable phases in two-phase titanium alloys **1,** 84

Estrin, E. I. *See* **Blank, V. D., Konyayev, Yu. S., Mogutnov, B. M.** and **Estrin, E. I.** **2,** 190
Estrin, E. I. *See* **Moiseyev, A. N., Usikov, M. P.** and **Estrin, E. I.** **4,** 163
Estrin, E. I. *See* **Moiseyev, A. N., Usikov, M. P.** and **Estrin, E. I.** **5,** 186

Fedchenko, R. G. *See* **Dekhtyar, I. Ya., Fedchenko, R. G., Kupchishin, A. I., Mukashev, K. M.** and **Rafalovskiy, V. A.** **4,** 187
Fedorov, G. V. *See* **Matveyev, V. A.** and **Fedorov, G. V.** **1,** 28
Fedorov, N. V. *See* **Fedyukina, G. N., Fedorov, N. V** and **Zlenko, V. Ya.** **1,** 72
Fedorova, T. G. *See* **Yesin, V. O., Krivonosova, A. S., Fedorova, T. G., Revun, S. A.** and **Dyakina, V. P.** **4,** 193
Fedyukina, G. N., Fedorov, N. V. and **Zlenko, V. Ya.** Diffusion erosion of metals (copper–nickel alloys) **1,** 72
Feygin, V. A. *See* **Borisov, A. B., Feygin, V. A.** and **Shmatov, V. T.** **5,** 34
Filippov, Yu. I. *See* **Pavlov, V. A., Filippov, Yu. I., Ketova, V. P.** and **Pecherkina, N. L.** **3,** 152
Finkel'shteyn, L. D. and **Samsonova, N. D.** X-ray L_{III} absorption spectra of tetravalent lanthanides in metallic compounds **4,** 85
Firstov, S. A. *See* **Avtonomov, G. A., Igolkina, L. S., Kosachev, L. S., Mochalov, B. A., Rakitskiy, A. N., Firstov, S. A.** and **Shtauberg, M. I.** **4,** 177
Fogel'son, R. L. X-ray diffraction investigation of the concentration dependence of the diffusion coefficient **4,** 159
Fonshteyn, N. M., Bronfin, B. M., Shifman, A. Z., Zhukova, Ye. N. and **Bortsov, A. N.** Quantitative microfractographic analysis of ductile fracture in low alloyed steels **1,** 157
Fuks, D. L. *See* **Bogdanov, V. I., Ruban, A. V.** and **Fuks, D. L.** **3,** 100
Fuks, M. Ya., Cheremskoy, P. G., Belozerov, V. V., Chuvurina, S. N. and **Roshchenko, S. T.** Influence of isothermal and thermal cycling treatments on the porosity and internal stresses in nickel films and coatings **1,** 44

Gal'perina, B. A. *See* **Vaynshteyn, A. A.** and **Gal'perina, B. A.** **1,** 176
Gaponov, M. A. On the mechanisms of intergranular rupture of certain metals by a high-power ultrasound **2,** 181
Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z., Petrov, S. B. and **Sidorov, S. K.** Neutron diffraction investigation of $Fe(Mn_xPt_{1-x})_3$ alloys in the ordered state **2,** 95
Gaviko, V. S. *See* **Magat, L. M., Khrabrov, V. I., Lapina, T. P., Makarova, G. M.** and **Gaviko, V. S.** **5,** 189
Gayduchenya, V. F. and **Sokolov, L. D.** Stress relaxation in aluminium and its alloys AMG2 and D16 at temperatures in the range 133–673 K **4,** 182
Gel'd, P. V. *See* **Valishev, M. G., Yesin, Yu. O.** and **Gel'd, P. V.** **6,** 158
Gerus, S. V. and **Kharitonov, V. D.** Relaxation of surface spin waves in a ferromagnet with fluctuating parameters **6,** 36
Gervas'yeva, I. V. *See* **Gubernatorov, V. V., Bryshko, N. A., Sokolov, B. K., Sidorov, V. A., Gervas'yeva, I. V., Vorontsov, V. B.** and **Bukhvalov, O. B.** **6,** 69

Gindin, I. A., Chirkina, L. A. and **Okovit, V. S.** Micro- and macroyield of silicon iron at temperatures 293–773 K — 6, 133
Gindin, I. A., Sokolenko, V. I., Starodubov, Ya. D. and **V'yugov, P. N.** Fatigue of polycrystalline zirconium at temperatures in the range 4·2–293 K — 2, 168
Gindin, I. A., Volchok, O. I., Druinskiy, Ye. I. and **Aksenov, V. K.** Investigation of the plastic deformation of nickel prestrengthened by ultrasonic radiation — 1, 136
Gitgarts, M. I. and **Komarova, V. I.** Reason for the double maxima of the matrix reflections of a dispersion hardening aluminium–magnesium alloy — 3, 170
Glinskiy, M. *See* **Gostishchev, V. I., Demyanov, S. Ye., Drozd, A. A.** and **Glinskiy, M.** — 4, 68
Glotova, L. S., Dunayev, F. N. and **Yakovlev, G. P.** Connection between magnetic hysteresis loop and phase dependence of mechanical energy of vibrations — 6, 62
Gnesin, B. A., Zuyev, A. P., Karpov, M. I., Kireyko, V. V., Kopetskiy, Ch. V., Marchenko, V. A. and **Chukalina, L. V.** Influence of oxygen on formation of a zone of difficult recrystallization in molybdenum — 2, 119
Gnesin, V. A., Karpov, M. I. and **Yashnikov, V. P.** Development of deformation texture during cold rolling of molybdenum. Dependence of orientations of the original state on the distribution function — 4, 109
Golub, N. S. *See* **Arbuzov, M. P., Pavlyukov, A. A., Opanasenko, O. S.** and **Golub, N. S.** — 2, 187
Golubovskiy, Ye. P. *See* **Kishkin, S. T., Svetlov, I. L., Logunov, A. V., Golubovskiy, Ye. P., Bulygin, I. P., Kats, E. L.** and **Nazarova, M. P.** — 6, 121
Goncharenko, A. B. *See* **Gorskiy, V. V., Ivanova, Ye. K., Goncharenko, A. B.** and **Ivashchenko, Yu. N.** — 3, 133
Gorbatov, G. Z. Influence of recombination on fluxes of point defects towards dislocations — 6, 13
Goritskiy, V. M. Relation between brittle fracture parameters and structure of heat improved low-alloy steel — 2, 102
Gornostyrev, Yu. N. and **Grinberg, B. A.** Theory of domain boundary hardening of layered superstructures — 5, 152
Gorobets, Yu. I., Denisov, S. I., Il'chishin, O. V. and **Makmak, I. M.** Influence of a weak planar steady magnetic field on the dynamic lattice parameters of bubble domains — 6, 155
Gorobey, N. N. *See* **Vladimirov, V. I.** and **Gorobey, N. N.** — 2, 159
Gorskiy, V. V., Ivanova, Ye. K., Goncharenko, A. B. and **Ivashchenko, Yu. N.** Auger and X-ray spectroscopic investigation of layers of surface friction on steel — 3, 133
Goshchitskiy, B. N. *See* **Aleksashin, B. A., Verkhovskiy, S. V., Ugodnikova, L. A., Stepanov, A. P., Arkhipov, V. Ye.** and **Goshchitskiy, B. N.** — 3, 76
Gostishchev, V. I., Demyanov, S. Ye., Drozd, A. A. and **Glinskiy, M.** Thermoelectric power oscillations and magnetic breakdown orbits in zinc — 4, 68
Grabovetskaya, G. P., Butkevich, L. M. and **Kryukova, A. M.** Influence of composition on the structure of an oriented eutectic of system Si–VSi_2 — 4, 150
Granovskiy, A. B. *See* **Vedyayev, A. V., Granovskiy, A. B., Kotel'nikova, O. A.** and **Kondorskiy, Ye. I.** — 5, 26
Grinberg, B. A. *See* **Gornostyrev, Yu. N.** and **Grinberg, B. A.** — 5, 152
Gromov, V. I. *See* **Timofeyev, N. I., Berseneva, F. N.** and **Gromov, V. I.** — 6, 129
Gubernatorov, V. V., Bryshko, N. A., Sokolov, B. K., Sidorov, V. A., Gervas'yeva, I. V., Vorontsov, V. B. and **Bukhvalov, O. B.** Influence of deformation methods on recrystallization texture in alloy Fe–3% Si — 6, 69

Gufan, Yu. M. and **Dmitriyev, V. P.** Cubic superstructures based on body-centred cubic atomic packing **3,** 28
Gufan, Yu. M. and **Dmitriyev, V. P.** The thermodynamic theory of ordered alloys. The role of heterophase fluctuations and new binary and other substructures on b.c.c. bases **5,** 16
Gulyayev, V. N. *See* **Sizov, R. A., Zakharova, M. I., Novikov, I. I., Bannykh, O. A.** and **Gulyayev, V. N.** **3,** 188
Gun'ko, L. P., Koval', Yu. N., Kozlova, L. Ye., Kokorin, V. V. and **Osipenko, I. A.** Elastic strains of dispersed particles inherited by martensite from austenite, and peculiar features of the $\gamma \rightleftarrows \alpha$ transformation in Fe–Ni–Co–Ti alloys **2,** 114
Gurov, K. P. *See* **Gusak, A. M.** and **Gurov, K. P.** **5,** 6
Gurov, K. P. *See* **Gusak, A. M.** and **Gurov, K. P.** **5,** 12
Gusak, A. M. and **Gurov, K. P.** Kinetics of phase formation in a diffusion zone during interdiffusion. General theory **5,** 6
Gusak, A. M. and **Gurov, K. P.** Kinetics of phase formation in a diffusion zone during interdiffusion. Phase formation in an electric field **5,** 12
Gusev, E. B. *See* **Berzina, I. G., Gusev, E. B., Kuznetsova, L. I., Minayeva, G. N.** and **Pasholok, I. L.** **5,** 97
Guslienko, K. Yu. *See* **Mitsek, A. I.** and **Guslienko, K. Yu.** **6,** 1
Gvozdev, A. G., Kazadzhan, L. B., Kutsak, V. M., Logunov, V. V. and **Zaveryukha, A. A.** Influence of aluminium on the kinetics of secondary recrystallization of silicon iron **5,** 181

Ievlev, V. M., Ievlev, V. P. and **Burova, S. V.** Faceting of special high-angle tilt boundaries in gold films **2,** 184
Ievlev, V. P. *See* **Ievlev, V. M., Ievlev, V. P.** and **Burova, S. V.** **2,** 184
Ignatenko, Yu. G. *See* **Kuranov, A. A., Dyakina, V. P., Ignatenko, Yu. G., Berseneva, F. N.** and **Sasinova, R. A.** **5,** 88
Igolkina, L. S. *See* **Avtonomov, G. A., Igolkina, L. S., Kosachev, L. S., Mochalov, B. A., Rakitskiy, A. N., Firstov, S. A.** and **Shtauberg, M. I.** **4,** 177
Il'chishin, O. V. *See* **Gorobets, Yu. I., Denisov, S. I., Il'chishin, O. V.** and **Makmak, I. M.** **6,** 155
Istomin-Kastrovskiy, V. V., Bakirov, Zh. T., Postnikov, N. S. and **Zolotorevskiy, V. S.** Electron microscopic investigation of the influence of small additions on the ageing of high-duty cast Al–Cu alloys **3,** 138
Ivaniy, N. V. *See* **Zakharchenko, I. G., Ivaniy, V. S., Ivaniy, N. V.** and **Kshnyakin, V. S.** **1,** 167
Ivaniy, V. S. *See* **Zakharchenko, I. G., Ivaniy, V. S., Ivaniy, N. V.** and **Kshnyakin, V. S.** **1,** 167
Ivanov, O. A., Kumeyshin, V. F., Vas'kovskiy, V. O. and **Laletin, Ye. V.** Nuclear gamma resonance of amorphous Co–Gd films **1,** 40
Ivanov, S. V. and **Ryzhanova, N. V.** Influence of *s–d* exchange interaction on nuclear spin-lattice relaxation in ferromagnetic metals **4,** 42
Ivanova, G. V., Magat, L. M., Popov, A. G., Maykov, V. G., Khrabrov, V. I. and **Shur, Ya. S.** Structure transformations and coercive force of alloys $Sm(Co, Fe, Zr)_{7.4}$ **4,** 57
Ivanova, Ye. K. *See* **Gorskiy, V. V., Ivanova, Ye. K., Goncharenko, A. B.** and **Ivashchenko, Yu. N.** **3,** 133
Ivashchenko, Yu. N. *See* **Gorskiy, V. V., Ivanova, Ye. K., Goncharenko, A. B.** and **Ivashchenko, Yu. N.** **3,** 133
Izyumov, Yu. A. Hybridization of phonons and spin waves in complex magnetic crystals **1,** 18

Kabanova, I. G., Podchinenova, G. L. and **Sagaradze, V. V.** Computer calculated crystallographic parameters of the reverse $\alpha \rightarrow \gamma$ martensitic transformation with allowance for the shear geometry and phase tetragonality **2,** 134
Kal'yanov, A. P., Demidenko, V. S. and **Panin, V. Ye.** Magnetic state and electronic structure of iron–manganese alloys **2,** 7
Kameneva, V. Yu. *See* **Bar'yakhtar, V. G., Vangengeym, S. D.** and **Kameneva, V. Yu.** **2,** 124
Kandaurova, G. S., Vas'kovskii, V. O. and **Lesnik, V. V.** Torque curve anomalies in amorphous gadolinium–cobalt films **4,** 81
Kaputkina, L. M. *See* **Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D.** and **Dobatkin, S. V.** **1,** 182
Kaputkina, L. M. *See* **Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D., Lyuttsau, A. V.** and **Prokoshkina, V. G.** **6,** 88
Karasik, V. P., Karyayev, Ye. V. and **Tsebro, V. I.** Scaling laws for the pinning force in ternary molybdenum sulphides $PbGa_xMo_6S_8$, $SnGa_xMo_6S_8$ **5,** 58
Kareva, N. T. *See* **Smirnov, M. A., Pushin, V. G., Kareva, N. T., Smirnov, L. V.** and **Patrakov, Ye. I.** **5,** 171
Karpov, M. I. *See* **Gnesin, V. A., Karpov, M. I.** and **Yashnikov, V. P.** **4,** 109
Karpov, M. I. *See* **Gnesin, B. A., Zuyev, A. P., Karpov, M. I., Kireyko, V. V., Kopetskiy, Ch. V., Marchenko, V. A.** and **Chukalina, L. V.** **2,** 119
Karpova, I. G. *See* **Yermolova, M. I., Bezgina, V. I., Karpova, I. G., Mishina, A. A., Solonina, O. P.** and **Sokolova, A. Yu.** **6,** 97
Karyayev, Ye. V. *See* **Karasik, V. P., Karyayev, Ye. V.** and **Tsebro, V. I.** **5,** 58
Kats, E. L. *See* **Kishkin, S. T., Svetlov, I. L., Logunov, A. V., Golubovskiy, Ye. P., Bulygin, I. P., Kats, E. L.** and **Nazarova, M. P.** **6,** 121
Kazadzhan, L. B. *See* **Gvozdev, A. G., Kazadzhan, L. B., Kutsak, V. M., Logunov, V. V.** and **Zaveryukha, A. A.** **5,** 181
Kazakov, V. G., Panaetov, V. P., Popov, V. I. and **Bochkarev, B. F.** Interaction of periodic domain walls in thin iron–nickel films **2,** 197
Kazakovtseva, V. A. and **Usikov, M. P.** Structure of vanadium and molybdenum steels at the special carbide formation stage **4,** 127
Ketova, V. P. *See* **Pavlov, V. A., Filippov, Yu. I., Ketova, V. P.** and **Pecherkina, N. L.** **3,** 152
Khadzhay, G. Ya. *See* **Merisov, B. A., Usatenko, O. V., Khadzhay, G. Ya.** and **Khotkevich, V. I.** **5,** 132
Khannanov, Sh. Kh. Collective effects in an assemblage of microcracks and the transition to macrofracture **2,** 58
Khannanov, Sh. Kh. Dislocation and vacancy kinetics in a heterogeneously stressed crystal **1,** 129
Kharitonov, V. D. *See* **Gerus, S. V.** and **Kharitonov, V. D.** **6,** 36
Khonik, V. A. and **Zolotukhin, I. V.** Morphology of the fracture surface of amorphous alloy $La_{0.80}Al_{0.20}$ **6,** 164
Khotkevich, V. I. *See* **Merisov, B. A., Usatenko, O. V., Khadzhay, G. Ya.** and **Khotkevich, V. I.** **5,** 132
Khrabrov, V. I. *See* **Ivanova, G. V., Magat, L. M., Popov, A. G., Maykov, V. G., Khrabrov, V. I.** and **Shur, Ya. S.** **4,** 57
Khrabrov, V. I. *See* **Magat, L. M., Khrabrov, V. I., Lapina, T. P., Makarova, G. M.** and **Gaviko, V. S.** **5,** 189
Khutsishvili, K. O. *See* **Vardosanidze, T. G.** and **Khutsishvili, K. O.** **6,** 19

Kireyko, V. V. *See* **Gnesin, B. A., Zuyev, A. P., Karpov, M. I. Kireyko, V. V., Kopetskiy, Ch. V., Marchenko, V. A.** and **Chukalina, L. V.** 2, 119
Kishkin, S. T., Svetlov, I. L., Logunov, A. V., Golubovskiy, Ye. P., Bulygin, I. P., Kats, E. L. and **Nazarova, M. P.** Investigation of rupture mechanisms of directional eutectic γ/γ'–MeC under creep conditions 6, 121
Kishkin, S. T., Svetlov, I. L., Sorokina, L. P. and **Usikov, M. P.** Electron microscopic analysis of a heat-resistant eutectic alloy 6, 74
Kleshchev, G. V. *See* **Kruglov, V. F.** and **Kleshchev, G. V.** 3, 67
Klimovich, L. G. *See* **Alekseyev, A. A., Ber, L. B., Pavlenko, S. G.** and **Klimovich, L. G.** 4, 135
Klinger, L. M., Kogay, I. R. and **Straumal, B. B.** Concentration phase transitions during diffusion along phase and grain boundaries 4, 142
Klotsman, S. M. *See* **Arkhipova, N. K., Veretennikov, L. M., Klotsman, S. M., Tatarinova, G. N.** and **Timofeyev, A, N.** 1, 92
Knizhnik, Ye. G. *See* **Linetskiy, Ya. L., Savich, A. N., Knizhnik, Ye. G., Menushenkova, N. V., Polunin, V. V.** and **Korovyatskaya, M. V.** 2, 78
Knyazev, N. M. *See* **Titorov, D. B.** and **Knyazev, N. M.** 1, 103
Knyazev, Yu. V. *See* **Sasovskaya, I. I.** and **Knyazev, Yu. V.** 2, 72
Kobytev, V. S. *See* **Buynova, L. N., Kobytev, V. S., Popov, L. Ye.** and **Starenchenko V. A.** 6, 147
Kogan, Ye. M., Turov, Ye. A. and **Ustinov, V. V.** Transmission impedance of ferromagnetic metal film 2, 11
Kogan, Ye. M. and **Ustinov, V. V.** On the size effect in the longitudinal magnetoresistance of films and wires 4, 11
Kogay, I. R. *See* **Klinger, L. M., Kogay, I. R.** and **Straumal, B. B.** 4, 142
Kokorin, V. V. *See* **Gun'ko, L. P., Koval', Yu. N., Kozlova, L. Ye., Kokorin, V. V.** and **Osipenko, I. A.** 2, 114
Kokorin, V. V., Osipenko, I. A. and **Shirina, T. V.** Martensitic transformation in a solid solution containing dispersed ferromagnetic inclusions 4, 98
Kolodeznaya, S. F. and **Kozlov, E. V.** Diffuse scattering and ordering energy of a copper–gold alloy 1, 173
Komarova, V. I. *See* **Gitgarts, M. I.** and **Komarova, V. I.** 3, 170
Kondorskiy, Ye. I. *See* **Vedyayev, A. V., Granovskiy, A. B., Kotel'nikova, O. A.** and **Kondorskiy, Ye. I.** 5, 26
Kondrat'yev, A. S. *See* **Zelenin, S. P., Kondrat'yev, A. S.** and **Kuchma, A. Ye.** 2, 199
Kondrat'yev, S. Yu. *See* **Yaroslavskiy, G. Ya., Kondrat'yev, S. Yu., Koval', Yu. N.** and **Chaykovskiy, B. S.** 4, 115
Konyayev, Yu. S. *See* **Blank, V. D., Konyayev, Yu. S., Mogutnov, B. M.** and **Estrin, E. I.** 2, 190
Kopetskiy, Ch. V. *See* **Gnesin, B. A., Zuyev, A. P., Karpov, M. I., Kireyko, V. V., Kopetskiy, Ch. V., Marchenko, V. A.** and **Chukalina, L. V.** 2, 119
Korovyatskaya, M. V. *See* **Linetskiy, Ya. L., Savich, A. N., Knizhnik, Ye. G., Menushenkova, N. V., Polunin, V. V.** and **Korovyatskaya, M. V.** 2, 78
Korzhov, V. P. *See* **Vozilkin, V. A., Korzhov, V. P.** and **Trenogina, T. L.** 5, 79
Kosachev, L. S. *See* **Avtonomov, G. A., Igolkina, L. S., Kosachev, L. S., Mochalov, B. A., Rakistkiy, A. N., Firstov, S. A.** and **Shtauberg, M. I.** 4, 177
Kosevich, A. M. Nonlinear magnetization dynamics in ferromagnets. Dynamic and static solitons (review) 3, 1
Kosilov, A. T. *See* **Vasilenko, A. Yu.** and **Kosilov, A. T.** 2, 207

Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye. and **Trakhtenberg, I. Sh.** Calculation of parameters of tungsten diffusion in nickel by computer simulation **1,** 97
Kostyshin, A. M. *See* **Takzey, G. A., Sych, I. I.** and **Kostyshin, A. M.** **6,** 51
Kotel'nikova, O. A. *See* **Vedyayev, A. V., Granovskiy, A. B., Kotel'nikova, O. A.** and **Kondorskiy, Ye. I.** **5,** 26
Koval', Yu. N. *See* **Gun'ko, L. P., Koval', Yu. N., Kozlova, L. Ye., Kokorin, V. V.** and **Osipenko, I. A.** **2,** 114
Koval', Yu. N. *See* **Yaroslavskiy, G. Ya., Kondrat'yev, S. Yu., Koval', Yu. N.** and **Chaykovskiy, B. S.** **4,** 115
Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R. and **Syutkina, N. N.** Investigation of superconducting cubic Laves phases on vanadium. Change of crystal lattice state of V_2Zr and V_2Hf in the premartensitic temperature range **6,** 41
Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R. and **Syutkina, N. N.** Superconducting cubic Laves phases based on vanadium. Imperfect crystal structures of alloys V_2Zr, V_2Hf and V_2Ta **5,** 52
Kozinets, V. V. Recovery kinetics of deformed aluminium **5,** 136
Kozlov, E. V. *See* **Kolodeznaya, S. F.** and **Kozlov, E. V.** **1,** 173
Kozlova, L. Ye. *See* **Gun'ko, L. P., Koval', Yu. N., Kozlova, L. Ye., Kokorin, V. V.** and **Osipenko, I. A.** **2,** 114
Kozlova, O. S. *See* **Baldokhin, Yu. V., Kozlova, O. S., Makarov, V. A.** and **Ovcharov, V. P.** **5,** 177
Krasnikova, G. N. and **Litvintsev, V. V.** Crystal structure deformation of alloys $Y(Fe_{1-x}Co_x)_2$ **5,** 184
Krivonosova, A. S. *See* **Yesin, V. O., Krivonosova, A. S., Fedorova, T. G., Revun, S. A.** and **Dyakina, V. P.** **4,** 193
Kruglov, V. F. and **Kleshchev, G. V.** Nuclear magnetic resonance and the diamagnetic effect in Al–Zn alloys **3,** 67
Kryukova, A. M. *See* **Grabovetskaya, G. P., Butkevich, L. M.** and **Kryukova, A. M.** **4,** 150
Kshnyakin, V. S. *See* **Zakharchenko, I. G., Ivaniy, V. S., Ivaniy, N. V.** and **Kshnyakin, V. S.** **1,** 167
Kucharenko, Yu. N. and **Aleshin, V. G.** Theoretical investigation of intensity distribution in Auger spectra of metals **1,** 1
Kuchma, A. Ye. *See* **Zelenin, S. P., Kondrat'yev, A. S.** and **Kuchma, A. Ye.** **2,** 199
Kudryavtsev, Yu. V., Lezhnenko, I. V. and **Lesnik, A. G.** Influence of order–disorder phase transformation on the optical properties and electronic structure of Fe–Co films in the low-energy band of the spectrum **3,** 62
Kumeyshin, V. F. *See* **Ivanov, O. A., Kumeyshin, V. F., Vas'kovskiy, V. O.** and **Laletin, Ye. V.** **1,** 40
Kupchishin, A. I. *See* **Dekhtyar, I. Ya., Fedchenko, R. G., Kupchishin, A. I., Mukashev, K. M.** and **Rafalovskiy, V. A.** **4,** 187
Kupriyanov, M. Yu. and **Morozov, A. I.** Dipole antiferromagnetism in compounds $RMo_6S_8(Se_8)$ **6,** 22
Kuranov, A. A., Dyakina, V. P., Ignatenko, Yu. G., Berseneva, F. N. and **Sasinova, R. A.** Electrical properties of ternary ordering solid solutions based on palladium **5,** 88
Kurikalov, Yu. L. *See* **Petrov, V. A.** and **Kurikalov, Yu. L.** **1,** 179
Kurov, I. Ye., Sakharova, V. N. and **Shevchenko, S. M.** Investigation of the process involved in the deformation and rupture of metals at high temperatures **2,** 164
Kusov, A. A. *See* **Vladimirov, V. I.** and **Kusov, A. A.** **2,** 154

Kutsak, V. M. *See* **Gvozdev, A. G., Kazadzhan, L. B., Kutsak, V. M., Logunov, V. V.** and **Zaveryukha, A. A.** 5, 181
Kutsar, A. R. *See* **Soldatova, Ye. D., Tkachenko, T. B.** and **Kutsar, A. R.** 2, 1
Kuz'min, S. L. and **Likhachev, V. A.** Temperature–stress criteria of pseudoelasticity 5, 47
Kuznetsov, V. Yu. *See* **Morozov, O. P.** and **Kuznetsov, V. Yu.** 5, 122
Kuznetsova, L. I. *See* **Berzina, I. G., Gusev, E. B., Kuznetsova, L. I., Minayeva, G. N.** and **Pasholok, I. L.** 5, 97

Laletin, Ye. V. *See* **Ivanov, O. A., Kumeyshin, V. F., Vas'kovskiy, V. O.** and **Laletin, Ye. V.** 1, 40
Lapina, T. P. *See* **Magat, L. M., Khrabrov, V. I., Lapina, T. P., Makarova, G. M.** and **Gaviko, V. S.** 5, 189
Lebedeva, M. V. *See* **Volkova, R. P., Lebedeva, M. V., Palatnik, L. A.** and **Pugachev, A. T.** 5, 191
Lesnik, A. G. *See* **Kudryavtsev, Yu. V., Lezhnenko, I. V.** and **Lesnik, A. G.** 3, 62
Lesnik, V. V. *See* **Kandaurova, G. S., Vas'kovskii, V. O.** and **Lesnik, V. V.** 4, 81
Levit, V. I. On the construction of work hardening curves in coordinates true stress–true strain 3, 200
Lezhnenko, I. V. *See* **Kudryavtsev, Yu. V., Lezhnenko, I. V.** and **Lesnik, A. G.** 3, 62
Libman, M. A. *See* **Aptekar', I. L., Libman, M. A.** and **Potapov, N. N.** 5, 147
Likhachev, V. A. *See* **Braynin, G. E.** and **Likhachev, V. A.** 1, 10
Likhachev, V. A. *See* **Kuz'min, S. L.** and **Likhachev, V. A.** 5, 47
Linetskiy, Ya. L., Savich, A. N., Knizhnik, Ye. G., Menushenkova, N. V., Polunin, V. V. and **Korovyatskaya, M. V.** Structure of Sm–Co–Cu–Fe–Zr alloys for permanent magnets 2, 78
Litvintsev, V. V. *See* **Krasnikova, G. N.** and **Litvintsev, V. V.** 5, 184
Litvintsev, V. V. *See* **Yakimov, I. I., Yegorov, S. N.** and **Litvintsev, V. V.** 3, 181
Logunov, A. V. *See* **Kishkin, S. T., Svetlov, I. L., Logunov, A. V., Golubovskiy, Ye. P., Bulygin, I. P., Kats, E. L.** and **Nazarova, M. P.** 6, 121
Logunov, V. V. *See* **Gvozdev, A. G., Kazadzhan, L. B., Kutsak, V. M., Logunov, V. V.** and **Zaveryukha, A. A.** 5, 181
L'vova, Ye. A. *See* **D'yakova, M. A.** and **L'vova, Ye. A.** 1, 84
Lyasotskiy, I. V. and **D'yakonova, N. B.** Investigation of the structure of anomalous solid solutions of titanium alloys 6, 104
Lyasotskiy, I. V. *See* **D'yakonova, N. B.** and **Lyasotskiy, I. V.** 3, 104
Lykhin, V. A., Nigmatulin, A. S., Alekseyevskiy, N. Ye. and **Mitin, A. V.** Investigation of the critical parameters of superconducting coatings based on ternary molybdenum sulphides 6, 59
Lyubchik, A. M. *See* **Vasil'yev, A. D., Drachinskiy, A. S., Lyubchik, A. M., Petrunin, G. A., Podrezov, Yu. N., Trefilov, V. I.** and **Shtyka, L. G.** 3, 143
Lyuttsau, A. V. *See* **Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D., Lyuttsau, A. V.** and **Prokoshkina, V. G.** 6, 88

Magat, L. M. *See* **Ivanova, G. V., Magat, L. M., Popov, A. G., Maykov, V. G., Khrabrov, V. I.** and **Shur, Ya. S.** 4, 57
Magat, L. M., Khrabrov, V. I., Lapina, T. P., Makarova, G. M. and **Gaviko, V. S.** Concerning the influence of decomposition of the supersaturated solid solution and eutectoid decomposition on the coercive force of $Sm(Co, Cu)_5$ alloys 5, 189

Makarov, V. A. *See* **Baldokhin, Yu. V., Kozlova, O. S., Makarov, V. A.** and **Ovcharov, V. P.** 5, 177
Makarowa, G. M. *See* **Magat, L. M., Khrabov, V. I., Lapina, T. P. Makarova, G. M.** and **Gaviko, V. S.** 5, 189
Makhatilova, A. I. *See* **Tananko, I. A., Belozerov, V. V.** and **Makhatilova, A. I.** 6, 117
Makhnev, Ye. S. *See* **Teytel', Ye. I., Potapenko, Yu. I., Makhnev, Ye. S., Notkin, A. B.** and **Zvereva, Z. F.** 1, 142
Makmak, I. M. *See* **Gorobets, Yu. I., Denisov, S. I., Il'chishin, O. V.** and **Makmak, I. M.** 6, 155
Malysh, M. M. *See* **Sadovskiy, V. D., Tabatchikova, T. I., Salokhin, A. V.** and **Malysh, M. M.** 1, 77
Malyshev, K. A. *See* **Tereshchenko, N. A., Sagaradze, V. V., Uvarov, A. I.** and **Malyshev, K. A.** 1, 110
Marchenko, V. A. *See* **Gnesin, B. A., Zuyev, A. P., Karpov, M. I., Kireyko, V. V., Kopetskiy, Ch. V., Marchenko, V. A.** and **Chukalina, L. V.** 2, 119
Masharov, S. I. *See* **Smirnov, L. I., Masharov, S. I., Rybalko, A. F.** and **Timofeyev, N. I.** 4, 32
Matveyev, V. A. and **Fedorov, G. V.** Anomalous Hall effect of Pd–Ni, Pd–Co and Pd–Fe alloys 1, 28
Maykov, V. G. *See* **Ivanova, G. V., Magat, L. M., Popov, A. G., Maykov, V. G., Khrabrov, V. I.** and **Shur, Ya. S.** 4, 57
Maykov, V. G. *See* **Shur, Ya. S., Ponomareva, O. I., Maykov, V. G.** and **Popov, A. G.** 4, 94
Mchedlov-Petrosyan, P. O. *See* **Slezov, V. V.** and **Mchedlov-Petrosyan, P. O.** 2, 203
Medvedev, M. V. *See* **Zaborov, A. V.** and **Medvedev, M. V.** 4, 23
Men'shikov, A. Z. *See* **Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z., Petrov, S. B.** and **Sidorov, S. K.** 2, 95
Menushenkova, N. V. *See* **Linetskiy, Ya. L., Savich, A. N., Knizhnik, Ye. G., Menushenkova, N. V., Polunin, V. V.** and **Korovyatskaya, M. V.** 2, 78
Merisov, B. A., Usatenko, O. V., Khadzhay, G. Yu. and **Khotkevich, V. I.** Quantum peculiarities of the electron transfer of hydrogen isotopes in tantalum 5, 132
Minakov, V. N. *See* **Trefilov, V. I., Belous, O. A.** and **Minakov, V. N.** 1, 148
Minayeva, G. N. *See* **Berzina, I. G., Gusev, E. B., Kuznetsova, L. I., Minayeva, G. N.** and **Pasholok, I. L.** 5, 97
Mirsayev, I. F. and **Taluts, G. G.** On the theory of magnetic first-order phase transitions under hydrostatic pressure conditons. III. Order–disorder transitions 2, 38
Mishin, Yu. M. and **Razumovskiy, I. M.** Diffusion parameters of the interface. Asymptotic expansions and analysis of experiments 5, 110
Mishin, Yu. M. and **Razumovskiy, I. M.** On the possibility of using Fisher's model to describe the diffusion width of an interface and the coefficient of boundary diffusion 4, 120
Mishina, A. A. *See* **Yermolova, M. I., Bezgina, V. I., Karpova, I. G., Mishina, A. A., Solonina, O. P.** and **Sokolova, A. Yu.** 6, 97
Mitin, A. V. *See* **Lykhin, V. A., Nigmatulin, A. S., Alekseyevskiy, N. Ye.** and **Mitin, A. V.** 6, 59
Mitsek, A. I. and **Guslienko, K. Yu.** Domain walls in high anisotropy ferro- and ferrimagnets 6, 1
Mochalov, B. A. *See* **Avtonomov, G. A., Igolkina, L. S., Kosachev, L. S., Mochalov, B. A., Rakitskiy, A. N., Firstov, S. A.** and **Shtauberg, M. I.** 4, 177
Mogutnov, B. M. *See* **Blank, V. D., Konyayev, Yu. S., Mogutnov, B. M.** and **Estrin, E. I.** 2, 190
Moiseyev, A. N., Usikov, M. P. and **Estrin, E. I.** Orientation relation between ferrite and austenite during normal $\gamma \rightarrow \alpha$ transformation in an iron–nickel alloy 5, 186

Moiseyev, A. N., Usikov, M. P. and **Estrin, E. I.** Structure variations during annealing of the packet martensite of alloys Fe–Ni and Fe–Cr **4,** 163
Moiseyev, V. F., Pechkovskiy, E. P., Rachek, A. P. and **Trefilov, V. I.** Changes in crystallographic and microstructural texture during recrystallization of a molybdenum alloy with dispersed nitride phase **5,** 92
Monasevich, L. A. *See* **Yerofeyev, V. Ya., Monasevich, L. A., Pavskaya, V. A.** and **Paskal', Yu. I.** **5,** 119
Morozov, A. I. *See* **Kupriyanov, M. Yu.** and **Morozov, A. I.** **6,** 22
Morozov, O. P. and **Kuznetsov, V. Yu.** Kinetic features of decomposition of supercooled austenitic steel after rapid austenitization processes **5,** 122
Motulevich, G. P., Burkova, L. T. and **Shubin, A. A.** Optical method of determining the electronic characteristics of the compound V_3Si **3,** 95
Mukashev, K. M. *See* **Dekhtyar, I. Ya., Fedchenko, R. G., Kupchishin, A. I., Mukashev, K. M.** and **Rafalovskiy, V. A.** **4,** 187
Murtazin, I. A. and **Salamatov, Ye. I.** Dynamics of a lattice containing a vacancy–isotopic substitution complex **2,** 54
Mushailov, E. S. *See* **Artem'ev, Ye. M., Baksheyev, N. V.** and **Mushailov, E. S.** **6,** 161
Mushailov, E. S., Baksheyev, N. V., Troynin, Yu. I. and **Turpanov, I. A.** Ferro-antiferromagnetic interactions in iron–manganese alloy with low manganese concentration **1,** 186

Naberezhnykh, V. P., Samoylenko, Z. A. and **Darovskikh, Ye. G.** On the electronic state of iron atoms in metallic "glass" $Fe_{40}Ni_{40}P_{16}B_4$ **1,** 189
Naglyuk, Ya. V. *See* **Sandler, L. M., Naglyuk, Ya. V., Zasimchuk, I. K.** and **Zhivolub, Ye. L.** **3,** 191
Namavir, L. P. *See* **Seregin, G. V., Namavir, L. P.** and **Sukhovarov, V. F.** **6,** 78
Nazarova, M. P. *See* **Kishkin, S. T., Svetlov, I. L., Logunov, A. V., Golubovskiy, Ye. P., Bulygin, I. P., Kats, E. L.** and **Nazarova, M. P.** **6,** 121
Nazarova, M. P. *See* **Svetlov, I. L., Sorokina, L. P.** and **Nazarova, M. P.** **6,** 111
Niemirovskiy, M. R. *See* **Niemirovskiy, Yu. R.** and **Niemirovskiy, M. R.** **5,** 139
Niemirovskiy, Yu. R. and **Niemirovskiy, M. R.** The crystallography of α''-martensite in alloys of iron **5,** 139
Nigmatulin, A. S. *See* **Lykhin, V. A., Nigmatulin, A. S., Alekseyevskiy, N. Ye.** and **Mitin, A. V.** **6,** 59
Nikitina, I. I. and **Rozhkova, A. S.** Martensitic $\gamma \rightarrow \alpha$ transformations in Fe–Ni–Mo alloys of different degrees of purity **6,** 83
Nizhnik, S. B., Ostrovskaya, V. P. and **Usikova, G. I.** Structural changes and mechanical properties of maraging steel 00Kh11N10M2T during $\alpha \rightleftarrows \gamma$ transformation **1,** 67
Notkin, A. B. *See* **Teytel', Ye. I., Potapenko, Yu. I., Makhnev, Ye. S., Notkin, A. B.** and **Zvereva, Z. F.** **1,** 142
Novikov, I. I. *See* **Sizov, R. A., Zakharova, M. I., Novikov, I. I., Bannykh, O. A.** and **Gulyayev, V. N.** **3,** 188

Okovit, V. S. *See* **Gindin, I. A., Chirkina, L. A.** and **Okovit, V. S.** **6,** 133
Olemskoy, A. I. The theory of X-ray, hot neutron and electron scattering by inhomogeneous solid solutions **5,** 41
Onopriyenko, L. G. Optical parameters of triplex films used for optical data recording **2,** 18

Onopriyenko, L. G. and **Vlasova, N. I.** Residual magnetization of an assemblage of twin ferromagnetic crystals 3, 89
Opanasenko, O. S. *See* **Arbuzov, M. P., Pavlyukov, A. A., Opanasenko, O. S.** and **Golub, N. S.** 2, 187
Osipenko, I. A. *See* **Gun'ko, L. P., Koval', Yu. N., Kozlova, L. Ye., Kokorin, V. V.** and **Osipenko, I. A.** 2, 114
Osipenko, I. A. *See* **Kokorin, V. V., Osipenko, I. A.** and **Shirina, T. V.** 4, 98
Ostrovskaya, V. P. *See* **Nizhnik, S. B., Ostrovskaya, V. P.** and **Usikova, G. I.** 1, 67
Ovcharenko, V. I. and **Pervakov, V. A.** Influence of zirconium impurity on the low-temperature specific heat of niobium 2, 205
Ovcharov, V. P. *See* **Baldokhin, Yu. V., Kozlova, O. S., Makarov, V. A.** and **Ovcharov, V. P.** 5, 177
Ovchinnikova, G. V. *See* **Yermolova, M. I., Zhebyneva, N. F., Solonina, O. P.** and **Ovchinnikova, G. V.** 4, 104

Palatnik, L. A. *See* **Volkova, R. P., Lebedeva, M. V., Palatnik, L. A.** and **Pugachev, A. T.** 5, 191
Pamyatnykh, Ye. A. *See* **Dolinin, F. I.** and **Pamyatnykh, Ye. A.** 2, 26
Panaetov, V. P. *See* **Kazakov, V. G., Panaetov, V. P., Popov, V. I.** and **Bochkarev, B. F.** 2, 197
Panin, V. Ye. *See* **Kal'yanov, A. P., Demidenko, V. S.** and **Panin, V. Ye.** 2, 7
Papirov, I. I. *See* **Pletenetskiy, G. Ye., Tikhinskiy, G. F.** and **Papirov, I. I.** 2, 64
Pashchenko, T. N. *See* **Zinenkova, G. M., Pashchenko, T. N.** and **Tyapunina, N. A.** 6, 141
Pasholok, I. L. *See* **Berzina, I. G., Gusev, E. B., Kuznetsova, L. I., Minayeva, G. N.** and **Pasholok, I. L.** 5, 97
Paskal', Yu. I. *See* **Yerofeyev, V. Ya., Monasevich, L. A., Pavskaya, V. A.** and **Paskal', Yu. I.** 5, 119
Patrakov, Ye. I. *See* **Smirnov, M. A., Pushin, V. G., Kareva, N. T., Smirnov, L. V.** and **Patrakov, Ye. I.** 5, 171
Pavlenko, S. G. *See* **Alekseyev, A. A., Ber, L. S.** and **Pavlenko, S. G.** 3, 162
Pavlenko, S. G. *See* **Alekseyev, A. A., Ber, L. B., Pavlenko, S. G.** and **Klimovich, L. G.** 4, 135
Pavlov, V. A., Filippov, Yu. I., Ketova, V. P. and **Pecherkina, N. L.** Dependence of the dislocation structure and mechanical properties of iron on conditions of plastic deformation 3, 152
Pavlyukov, A. A. *See* **Arbuzov, M. P., Pavlyukov, A. A., Opanasenko, O. S.** and **Golub, N. S.** 2, 187
Pavskaya, V. A. *See* **Yerofeyev, V. Ya., Monasevich, L. A., Pavskaya, V. A.** and **Paskal', Yu. I.** 5, 119
Pazyuk, I. P. *See* **Daneliya, Ye. P., Pazyuk, I. P., Rozenberg, V. M.** and **Teplitskiy, M. D.** 1, 124
Pecherkina, N. L. *See* **Pavlov, V. A., Filippov, Yu. I., Ketova, V. P.** and **Pecherkina, N. L.** 3, 152
Pechkovskiy, E. P. *See* **Moiseyev, V. F., Pechkovskiy, E. P., Rachek, A. P.** and **Trefilov, V. I.** 5, 92
Pervakov, V. A. *See* **Ovcharenko, V. I.** and **Pervakov, V. A.** 2, 205
Pervakov, V. A. *See* **Popov, V. P.** and **Pervakov, V. A.** 3, 193
Petrenko, P. V. *See* **Zubchenko, V. S., Petrenko, P. V.** and **Tatarov, A. A.** 4, 154
Petrov, A. N. Phase transitions in the phenomenological *s–d* exchange model 3, 158
Petrov, S. B. *See* **Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z., Petrov, S. B.** and **Sidorov, S. K.** 2, 95
Petrov, V. A. and **Kurikalov, Yu. L.** On the kinetic criterion of the ductile-brittle transition in solids 1, 179

Petrunin, G. A. *See* **Vasil'yev, A. D., Drachinskiy, A. S., Lyubchik, A. M., Petrunin, G. A., Podrezov, Yu. N., Trefilov, V. I.** and **Shtyka, L. G.** 3, 143
Piratinskaya, I. I. *See* **Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G.** and **Piratinskaya, I. I.** 4, 89
Pletenetskiy, G. Ye., Tikhinskiy, G. F. and **Papirov, I. I.** Electrical resistance of beryllium single crystals in the basal plane 2, 64
Plishkin, Yu. M. *See* **Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye.** and **Trakhtenberg, I. Sh.** 1, 97
Podchinenov, I. Ye. *See* **Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye.** and **Trakhtenberg, I. Sh.** 1, 97
Podchinenova, G. L. *See* **Kabanova, I. G., Podchinenova, G. L.** and **Sagaradze, V. V.** 2, 134
Podrezov, Yu. N. *See* **Vasil'yev, A. D., Drachinskiy, A. S., Lyubchik, A. M., Petrunin, G. A., Podrezov, Yu. N., Trefilov, V. I.** and **Shtyka, L. G.** 3, 143
Pol'skiy, A. I., Rizunenko, V. I., Tyurnev, V. V. and **Yakovchuk, V. Yu.** Two-frequency excitation of magnetization oscillations of a thin magnetic film 5, 75
Polunin, V. V. *See* **Linetskiy, Ya. L., Savich, A. N., Knizhnik, Ye. G., Menushenkova, N. V., Polunin, V. V.** and **Korovyatskaya, M, V.** 2, 78
Ponomareva, O. I. *See* **Shur, Ya. S., Ponomareva, O. I., Maykov, V. G.** and **Popov, A. G.** 4, 94
Ponyatovskiy, Ye. G. *See* **Antonov, V. Ye., Belash, I. T., Degtyareva, V. F., Ponyatovskiy, Ye. G.** and **Thiessen, V. G.** 4, 47
Poperenko, L. V. *See* **Drozd, P. I., Poperenko, L. V.** and **Shaykevich, I. A.** 6, 47
Poperenko, L. V. and **Shaykevich, I. A.** On the asymmetry of the fundamental absorption band of nickel in the near ultraviolet range of the spectrum 3, 84
Popov, A. G. *See* **Ivanova, G. V., Magat, L. M., Popov, A. G., Maykov, V. G., Khrabrov, V. I.** and **Shur, Ya. S.** 4, 57
Popov, A. G. *See* **Shur, Ya. S., Ponomareva, O. I., Maykov, V. G.** and **Popov, A. G.** 4, 94
Popov, L. Ye. *See* **Buynova, L. N., Kobytev, V. S., Popov, L. Ye.** and **Starenchenko, V. A.** 6, 147
Popov, V. I. *See* **Kazakov, V. G., Panaetov, V. P., Popov, V. I.** and **Bochkarev, B. F.** 2, 197
Popov, V. P. and **Pervakov, V. A.** Thermal expansion of niobium and a niobium–zirconium alloy below 10 K 3, 193
Porozkov, V. N. *See* **Yesin, V. O., Porozkov, V. N.** and **Danilyuk, V. I.** 2, 149
Postnikov, N. S. *See* **Istomin-Kastrovskiy, V. V., Bakirov, Zh. T., Postnikov, N. S.** and **Zolotorevskiy, V. S.** 3, 138
Potapenko, Yu. I. *See* **Teytel', Ye. I., Potapenko, Yu. I., Makhnev, Ye. S., Notkin, A. B.** and **Zvereva, Z. F.** 1, 142
Potapov, N. N. *See* **Aptekar', I. L., Libman, M. A.** and **Potapov, N. N.** 5, 147
Prokoshkin, S. D. *See* **Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D.** and **Dobatkin, S. V.** 1, 182
Prokoshkin, S. D. *See* **Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D., Lyuttsau, A. V.** and **Prokoshkina, V. G.** 6, 88
Prokoshkina, V. G. *See* **Bernshteyn, M. L., Kaputkina, L. M., Prokoshkin, S. D., Lyuttsau, A. V.** and **Prokoshkina, V. G.** 6, 88
Pugachev, A. T., Arinkin, A. V., Churakova, N. P. and **Cheremskoy, P. G.** Lattice dynamics and substructures of thin condensed gold films 5, 70
Pugachev, A. T. *See* **Volkova, R. P., Lebedeva, M. V., Palatnik, L. A.** and **Pugachev, A. T.** 5, 191
Pushin, V. G. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 5, 52

Pushin, V. G. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 6, 41
Pushin, V. G. *See* **Smirnov, M. A., Pushin, V. G., Kareva, N. T., Smirnov, L. V.** and **Patrakov, Ye. I.** 5, 171
Pyn'ko, V. G. *See* **Vershinina, L. I.** and **Pyn'ko, V. G.** 3, 57

Rachek, A. P. *See* **Moiseyev, V. F., Pechkovskiy, E. P., Rachek, A. P.** and **Trefilov, V. I.** 5, 92
Rafalovskiy, V. A. *See* **Dekhtyar, I. Ya., Fedchenko, R. G., Kupchishin, A. I., Makashev, K. M.** and **Rafalovskiy, V. A.** 4, 187
Rakitskiy, A. N. *See* **Avtonomov, G. A., Igolkina, L. S., Kosachev, L. S., Mochalov, B. A., Rakistkiy, A. N., Firstov, S. A.** and **Shtauberg, M. I.** 4, 177
Rangelov, J. M. Interpolation form factors of the crystaline potential 4, 1
Razumovskiy, I. M. *See* **Mishin, Yu. M.** and **Razumovskiy, I. M.** 4, 120
Razamovskiy, I. M. *See* **Mishin, Yu. M.** and **Razumovskiy, I. M.** 5, 110
Revun, S. A. *See* **Yesin, V. O., Krivonosova, A. S., Fedorov, T. G., Revun, S. A.** and **Dyakina, V. P.** 4, 193
Rinkevich, A. B. *See* **Vlasov, K. B., Rinkevich, A. B.** and **Burkhanov, A. M.** 2, 83
Rizunenko, V. I. *See* **Pol'skiy, A. I., Rizunenko, V. I., Tyurnev, V. V.** and **Yakovchuk, V. Yu.** 5, 75
Rodzinyakova, O. Internal friction in an alloy of iron with vanadium 2, 193
Romanov, Ye. P. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 5, 52
Romanov, Ye. P. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 6, 41
Romanova, R. R. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 5, 52
Romanova, R. R. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 6, 41
Roshchenko, S. T. *See* **Fuks, M. Ya., Cheremskoy, P. G., Belozerov, V. V., Chuvurina, S. N.** and **Roshchenko, S. T.** 1, 44
Roshchupkin, A. D. *See* **Dobrovol'skiy, V. Ye., Trunin, I. I.** and **Roshchupkin, A. D.** 1, 117
Rozenberg, V. M. *See* **Daneliya, Ye. P., Pazyuk, I. P., Rozenberg, V. M.** and **Teplitskiy, M. D.** 1, 124
Rozenberg, V. M. and **Voloshko, I. A.** The solid solution of phosphorus in copper 3, 198
Rozenberg, Ye. A. *See* **Vlasov, K. B.** and **Rozenberg, Ye. A.** 3, 73
Rozhkova, A. S. *See* **Nikitina, I. I.** and **Rozhkova, A. S.** 6, 83
Ruban, A. V. *See* **Bogdanov, V. I., Ruban, A. V.** and **Fuks, D. L.** 3, 100
Rusanenko, V. V. *See* **Yedneral, A. F., Rusanenko, V. V.** and **Smirnova, A. V.** 3, 111
Rybalko, A. F. *See* **Smirnov, I. I., Masharov, S. I., Rybalko, A. F.** and **Timofeyev, N. I.** 4, 32
Rybin, V. V., Titovets, Yu. F., Teplitskiy, D. M. and **Zolotorevskiy, N. Yu.** Statistics of grain misorientations in molybdenum 3, 122
Ryzhanova, N. V. *See* **Ivanov, S. V.** and **Ryzhanova, N. V.** 4, 42

Sadovskiy, V. D., Tabatchikova, T. I., Salokhin, A. V. and **Malysh, M. M.** Phase and structure transformations during laser heating of steel. I. Influence of the original structure 1, 77

Sadovskiy, V. D. *See* **Umova, V. M.** and **Sadovskiy, V. D.** 4, 190
Sagaradze, V. V. *See* **Tereshchenko, N. A., Sagaradze, V. V., Uvarov, A. I.** and **Malyshev, K. A.** 1, 110
Sagaradze, V. V. *See* **Kabanova, I. G., Podchinenova, G. L.** and **Sagaradze, V. V.** 2, 134
Sakharova, V. N. *See* **Kurov, I. Ye., Sakharova, V. N.** and **Shevchenko, S. M.** 2, 164
Salamatov, Ye. I. *See* **Murtazin, I. A.** and **Salamatov, Ye. I.** 2, 54
Salokhin, A. V. *See* **Sadovskiy, V. D., Tabatchikova, T. I., Salokhin, A. V.** and **Malysh, M. M.** 1, 77
Samoylenko, Z. A. *See* **Naberezhnykh, V. P., Samoylenko, Z. A.** and **Darovskikh, Ye. G.** 1, 189
Samsonova, N. D. *See* **Finkel'shteyn, L. D.** and **Samsonova, N. D.** 4, 85
Sandler, L. M., Naglyuk, Ya. V., Zasimchuk, I. K. and **Zhivolub, Ye. I.** On the role of stacking faults in the formation of induced magnetic anisotropy 3, 191
Sasinova, R. A. *See* **Kuranov, A. A., Dyakina, V. P., Ignatenko, Yu. G., Berseneva, F. N.** and **Sasinova, R. A.** 5, 88
Sasovskaya, I. I. and **Knyazev, Yu. V.** Influence of ordering on the optical properties of alloy Ni_3Mn 2, 72
Savich, A. N. *See* **Linetskiy, Ya. L., Savich, A. N., Knizhnik, Ye. G., Menushenkova, N. V., Polunin, V. V.** and **Korovyatskaya, M. V.** 2. 78
Seregin, G. V., Namavir, L. P. and **Sukhovarov, V. F.** Investigation of recrystallization processes of alloys with precipitation of γ'-phase during ageing after large deformations 6, 78
Shaykevich, I. A. *See* **Drozd, P. I., Poperenko, L. V.** and **Shaykevich, I. A.** 6, 47
Shaykevich, I. A. *See* **Poperenko, L. V.** and **Shaykevich, I. A.** 3, 84
Shevchenko, S. M. *See* **Kurov, I. Ye., Sakharova, V. N.** and **Shevchenko, S. M.** 2, 164
Shifman, A. Z. *See* **Fonshteyn, N. M., Bronfin, B. M., Shifman, A. Z., Zhukova, Ye. N.** and **Bortsov, A. N.** 1, 157
Shirina, T. V. *See* **Kokorin, V. V., Osipenko, I. A.** and **Shirina, T. V.** 4, 98
Shmatov, V. T. *See* **Borisov, A. B., Feygin, V. A.** and **Shmatov, V. T.** 5, 34
Shtauberg, M. I. *See* **Avtonomov, G. A., Igolkina, L. S., Kosachev, L. S., Mochalov, B. A., Rakitskiy, A. N., Firstov, S. A.** and **Shtauberg, M. I.** 4, 177
Shteynberg, A. S. *See* **Stark, Yu. S.** and **Shteynberg, A. S.** 6, 7
Shtremel', M. A. Competition between two mechanisms of failure in a polycrystal 4, 169
Shtyka, L. G. *See* **Vasil'yev, A. D., Drachinskiy, A. S., Lyubchik, A. M., Petrunin, G. A., Podrezov, Yu. N., Trefilov, V. I.** and **Shtyka, L. G.** 3, 143
Shubin, A. A. *See* **Motulevich, G. P., Burkova, L. T.** and **Shubin, A. A.** 3, 95
Shur, Ya. S. *See* **Ivanova, G. V., Magat, L. M., Popov, A. G., Maykov, V. G., Khrabrov, V. I.** and **Shur, Ya. S.** 4, 57
Shur, Ya. S., Ponomareva, O. I., Maykov, V. G. and **Popov, A. G.** Magnetic properties and temperature coefficient of induction of alloys $Sm(Er, Gd)_{1-x}Co_5$ 4, 94
Sidorov, S. K. *See* **Dubinin, S. F., Vologin, V. G., Sidorov, S. K., Syromyatnikov, V. N.** and **Teploukhov, S. G.** 3, 46
Sidorov, S. K. *See* **Gasnikova, G. P., Dorofeyev, Yu. A., Men'shikov, A. Z., Petrov, S. B.** and **Sidorov, S. K.** 2, 95
Sidorov, V. A. *See* **Gubernatorov, V. V., Bryshko, N. A., Sokolov, B. K., Sidorov, V. A., Gervas'yeva, I. V., Vorontsov, V. B.** and **Bukhvalov, O. B.** 6, 69
Sizov, R. A., Zakharova, M. I., Novikov, I. I., Bannykh, O. A. and **Gulyayev, V. V.**

Neutron diffraction investigation of structure laminations in aged chromium–nickel–manganese steels 3, 188
Skripov, A. V. *See* **Stepanov, A. P.** and **Skripov, A. V.** 6, 166
Slepchenko, B. M. Spatial correlations of charge density fluctuations in the ground state of the one-dimensional Hubbard model in the strong interaction range 2, 33
Slezov, V. V. *See* **Dubinko, V. I.** and **Slezov, V. V.** 3, 37
Slezov, V. V. and **Mchedlov-Petrosyan, P. O.** On the boundary motion of a two-phase region during diffusion saturation 2, 203
Smirnov, L. I., Masharov, S. I., Rybalko, A. F. and **Timofeyev, N. I.** Influence of vacancies on the diffusion of interstitial atoms in ordered alloys A–B–(C) with a b.c.c. lattice 4, 32
Smirnov, L. V. *See* **Smirnov, M. A., Pushin, V. G., Kareva, N. T., Smirnov, L. V.** and **Patrakov, Ye. I.** 5, 171
Smirmov, M. A., Pushin, V. G., Kareva, N. T., Smirnov, L. V. and **Patrakov, Ye. I.** Influence of high-temperature deformation on the delayed rupture of maraging steel 5, 171
Smirnova, A. V. *See* **Yedneral, A. F., Rusanenko, V. V.** and **Smirnova, A. V.** 3, 111
Sokolenko, V. I. *See* **Gindin, I. A., Sokolenko, V. I., Starodubov, Ya. D.** and **V'yugov, P. N.** 2, 168
Sokolov, B. K. *See* **Gubernatorov, V. V., Bryshko, N. A., Sokolov, B. K., Sidorov, V. A., Gervas'yeva, I. V., Vorontsov, V. B.** and **Bukhvalov, O. B.** 6, 69
Sokolov, L. D. *See* **Gayduchenya, V. P.** and **Sokolov, L. D.** 4, 182
Sokolov, Yu. V. *See* **Vasil'yeva, L. A., Sokolov, Yu. V.** and **Tofpenets, R. L.** 3, 118
Sokolova, A. Yu. *See* **Yermolova, M. I., Bezgina, V. I., Karpova, I. G., Mishina, A. A., Solonina, O. P.** and **Sokolova, A. Yu.** 6, 97
Soldatova, Ye. D., Tkachenko, T. B. and **Kutsar, A. R.** Thermodynamic properties of cerium in the transcritical range 2, 1
Solonina, O. P. *See* **Yermolova, M. I., Bezgina, V. I., Karpova, I. G., Mishina, A. A., Solonina, O. P.** and **Sokolova, A. Yu.** 6, 97
Solonina, O. P. *See* **Yermolova, M. I., Zhebyneva, N. F., Solonina, O. P.** and **Ovchinnikova, G. V.** 4, 104
Sorokina, L. P. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P.** and **Usikov, M. P.** 6, 74
Sorokina, L. P. *See* **Svetlov, I. L., Sorokina L. P.** and **Nazarova, M. P.** 6, 111
Spektor, Ya. I. *See* **Bernshteyn, M. L., Spektor, Ya. I.** and **Degtyarev, V. N.** 1, 58
Spivak, L. V. *See* **Ayzentson, Ye. G., Veretennikov, I. B., Volyntsev, A. B.** and **Spivak, L. V.** 6, 137
Starenchenko, V. A. *See* **Buynova, L. N., Kobytev, V. S., Popov, L. Ye.** and **Starenchenko, V. A.** 6, 147
Stark, Yu. S. and **Shteynberg, A. S.** Calculation of short-range order parameters of solid solutions 6, 7
Starodubov, Ya. D. *See* **Gindin, I. A., Sokolenko, V. I., Starodubov, Ya. D.** and **V'yugov, P. N.** 2, 168
Stashenko, V. I. and **Troitskiy, O. A.** Influence of pulsating current frequency and external mechanical stress on the creep rate of crystals 1, 162
Stepanov, A. P. *See* **Aleksashin, B. A., Verkhovskiy, S. V., Ugodnikova, L. A., Stepanov, A. P., Arkhipov, V. Ye.** and **Goshchitskiy, B. N.** 3, 76
Stepanov, A. P. and **Skripov, A. V.** Nuclear magnetic resonance in the V_3Si–H system 6, 166
Strashnikov, O. G. *See* **Tankeyev, A. P.** and **Strashnikov, O. G.** 2, 44
Straumal, B. B. *See* **Klinger, L. M., Kogay, I. R.** and **Straumal, B. B.** 4, 142

Sukhovarov, V. F. *See* **Seregin, G. V., Namavir, L. P.** and **Sukhovarov, V. F.** 6, 78
Svetlov, I. L. *See* **Kishkin, S. T., Svetlov, I. L., Logunov, A. V., Golubovskiy. Ye. P., Bulygin, I. P., Kats, E. L.** and **Nazarova, M. P.** 6, 121
Svetlov, I. L. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P.** and **Usikov, M. P.** 6, 74
Svetlov, I. L., Sorokina, L. P. and **Nazarova, M. P.** Structural imperfections in directional eutectic γ/γ'–MeC after stress-rupture tests 6, 111
Sych, I. I. *See* **Takzey, G. A., Sych, I. I.** and **Kostyshin, A. M.** 6, 51
Syromyatnikov, V. N. *See* **Dubinin, S. F., Vologin, V. G., Sidorov, S. K., Syromyatnikov, V. N.** and **Teploukhov, S. G.** 3, 46
Syutkina, N. N. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 5, 52
Syutkina, N. N. *See* **Kozhanov, V. N., Pushin, V. G., Romanov, Ye. P., Romanova, R. R.** and **Syutkina, N. N.** 6, 41
Syutkina, V. I., Yasyreva, L. P. and **Abdulov, R. Z.** Mechanical properties of ordered alloy CuAu 2, 172

Tabatchikova, T. I. *See* **Sadovskiy, V. D., Tabatchikova, T. I., Salokhin, A. V.** and **Malysh, M. M.** 1, 77
Takzey, G. A., Sych, I. I. and **Kostyshin, A. M.** Peculiarities of the spin glass state of γ-FeNiCr(18) alloys near the critical concentration 6, 51
Taluts, G. G. *See* **Mirsayev, I. F.** and **Taluts, G. G.** 2, 38
Tananko, I. A., Belozerov, V. V. and **Makhatilova, A. I.** Concerning some structure peculiarities of tempered martensite 6, 117
Tankeyev, A. P. and **Strashnikov, O. G.** Influence of the surface on the parameters of domain walls in plates of bubble materials 2, 44
Taran, A. A. *See* **Chaykovskiy, E. F., Timan, B. L.** and **Taran, A. A.** 5, 106
Tatarinova, G. N. *See* **Arkhipova, N. K., Veretennikov, L. M., Klotsman, S. M., Tatarinova, G. M.** and **Timofeyev, A. N.** 1, 92
Tatarov, A. A. *See* **Zubchenko, V. S., Petrenko, P. V.** and **Tatarov, A. A.** 4, 154
Teplitskiy, D. M. *See* **Rybin, V. V., Titovets, Yu. F., Teplitskiy, D. M.** and **Zolotorevskiy, N. Yu.** 3, 122
Teplitskiy, M. D. *See* **Daneliya, Ye. P., Pazyuk, I. P., Rozenberg, V. M.** and **Teplitskiy, M. D.** 1, 124
Teploukhov, S. G. *See* **Dubinin, S. F., Vologin, V. G., Sidorov, S. K., Syromyatnikov, V. N.** and **Teploukhov, S. G.** 3, 46
Tereshchenko, N. A., Sagaradze, V. V., Uvarov, A. I. and **Malyshev, K. A.** Ageing steels with ε martensite structure 1, 110
Teytel', Ye. I., Potapenko, Yu. I., Makhnev, Ye. S., Notkin, A. B. and **Zvereva, Z. F.** Investigation of the concentration dependence of the mechanical properties and heat resistance of titanium alloys with aluminium 1, 142
Thiessen, V. G. *See* **Antonov, V. Ye., Belash, I. T., Degtyareva, V. F., Ponyatovskiy, Ye. G.** and **Thiessen, V. G.** 4, 47
Tikhinskiy, G. F. *See* **Pletenetskiy, G. Ye., Tikhinskiy, G. F.** and **Papirov, I. I.** 2, 64
Timan, B. L. *See* **Chaykovskiy, E. F., Timan, B. L.** and **Taran, A. A.** 5, 106
Timofeyev, A. N. *See* **Arkhipova, N. K., Veretennikov, L. M., Klotsman, S. M., Tatarinova, G. N.** and **Timofeyev, A. N.** 1, 92

Timofeyev, N. I., Berseneva, F. N. and **Gromov, V. I.** Strength and plasticity of palladium–platinum–hydrogen alloys 6, 129
Timofeyev, N. I. *See* **Smirnov, L. I., Masharov, S. I., Rybalko, A. F.** and **Timofeyev, N. I.** 4, 32
Titorov, D. B. and **Knyazev, N. M.** Different types of texture transformation during recrystallization 1, 103
Titovets, Yu. F. *See* **Rybin, V. V., Titovets, Yu. F., Teplitskiy, D. M.** and **Zolotorevskiy, N. Yu.** 3, 122
Tiunov, V. F. *See* **Yesina, N. K., Tiunov, V. F.** and **Zaykova, V. A.** 2, 68
Tkachenko, T. B. *See* **Soldatova, Ye. D., Tkachenko, T. B.** and **Kutsar, A. R.** 2, 1
Tofpenets, R. L. *See* **Vasil'yeva, L. A., Sokolov, Yu. V.** and **Tofpenets, R. L.** 3, 118
Trakhtenberg, I. Sh. *See* **Kostromin, B. F., Plishkin, Yu. M., Podchinenov, I. Ye.** and **Trakhtenberg, I. Sh.** 1, 97
Travina, N. T. *See* **Ugarova, Ye. V., Travina, N. T.** and **Tyapkin, Yu. D.** 5, 164
Trefilov, V. I., Belous, O. A. and **Minakov, V. N.** On the physical nature of the low-temperature embrittlement of metals with a b.c.c. lattice 1, 148
Trefilov, V. I. *See* **Moiseyev, V. F., Pechkovskiy, E. P., Rachek, A. P.** and **Trefilov, V. I.** 5, 92
Trefilov, V. I. *See* **Vasil'yev, A. D., Drachinskiy, A. S., Lyubchik, A. M., Petrunin, G. A., Podrezov, Yu. N., Trefilov, V. I.** and **Shtyka, L. G.** 3, 143
Trenogina, T. L. *See* **Vozilkin, V. A., Korzhov, V. P.** and **Trenogina, T. L.** 5, 79
Troitskiy, O. A. *See* **Stashenko, V. I.** and **Troitskiy, O. A.** 1, 162
Troynin, Yu. I. *See* **Mushailov, E. S., Baksheyev, N. V., Troynin, Yu. I.** and **Turpanov, I. A.** 1, 186
Trunin, I. I. *See* **Dobrovol'skiy, V. Ye., Trunin, I. I.** and **Roshchupkin, A. D.** 1, 117
Tsebro, V. I. *See* **Karasik, V. P., Karyayev, Ye. V.** and **Tsebro, V. I.** 5, 58
Turov, Ye. A. *See* **Kogan, Ye. M., Turov, Ye. A.** and **Ustinov, V. V.** 2, 11
Turpanov, I. A. *See* **Mushailov, E. S., Baksheyev, N. V., Troynin, Yu. I.** and **Turpanov, I. A.** 1, 186
Tyapkin, Yu. D. *See* **Ugarova, Ye. V., Travina, N. T.** and **Tyapkin, Yu. D.** 5, 164
Tyapunina, N. A. *See* **Zinenkova, G. M., Pashchenko, T. N.** and **Tyapunina, N. A.** 6, 141
Tyurnev, V. V. *See* **Pol'skiy, A. I., Rizunenko, V. I., Tyurnev, V. V.** and **Yakovchuk, V. Yu.** 5, 75

Ugarova, Ye. V., Travina, N. T. and **Tyapkin, Yu. D.** Modelling the processes of dislocation movement in age-hardening alloys. Influence of the nature of particle distribution in the matrix 5, 164
Ugodnikova, L. A. *See* **Aleksashin, B. A., Verkhovskiy, S. V., Ugodnikova, L. A., Stepanov, A. P., Arkhipov, V. Ye.** and **Goshchitskiy, B. N.** 3, 76
Umova, V. M. and **Sadovskiy, V. D.** On the secondary naphthalin fracture of steel 4, 190
Umpelev, A. M. *See* **Belyatskaya, I. S., Arabey, Ye. V.** and **Umpelev, A. M.** 5, 66
Usatenko, O. V. *See* **Merisov, B. A., Usatenko, O. V., Khadzhay, G. Ya.** and **Khotkevich, V. I.** 5, 132
Usikov, M. P. *See* **Al'shevskiy, Yu. L.** and **Usikov, M. P.** 3, 195
Usikov, M. P. *See* **Kazakovtseva, V. A.** and **Usikov, M. P.** 4, 127
Usikov, M. P. *See* **Kishkin, S. T., Svetlov, I. L., Sorokina, L. P.** and **Usikov, M. P.** 6, 74
Usikov, M. P. *See* **Moiseyev, A. N., Usikov, M. P.** and **Estrin, E. I.** 4, 163
Usikov, M. P. *See* **Moiseyev, A. N., Usikov, M. P.** and **Estrin, E. I.** 5, 186
Usikova, G. I. *See* **Nizhnik, S. B., Ostrovskaya, V. P.** and **Usikova, G. I.** 1, 67
Ustinov, V. V. *See* **Kogan, Ye. M., Turov, Ye. A.** and **Ustinov, V. V.** 2, 11

Ustinov, V. V. *See* **Kogan, Ye. M.** and **Ustinov, V. V.** 4, 11
Uvarov, A. I. *See* **Tereshchenko, N. A., Sagaradze, V. V., Uvarov, A. I.** and **Malyshev, K. A.** 1, 110

Valishev, M. G., Yesin, Yu. O. and **Gel'd, P. V.** Influence of short-range order on enthalpy of formation of binary alloys 6, 158
Vangengeym, S. D. *See* **Bar'yakhtar, V. G., Vangengeym, S. D.** and **Kameneva, V. Yu.** 2, 124
Vardosanidze, T. G. and **Khutsishvili, K. O.** Dependence of nuclear magnetic resonance line width on the external pulsating magnetic field in magnetically ordered materials 6, 19
Vasilenko, A. Yu. and **Kosilov, A. T.** Internal friction in loaded single crystals of Cu–Al–Ni 2, 207
Vasil'yev, A. D., Drachinskiy, A. S., Lyubchik, A. M., Petrunin, G. A., Podrezov, Yu. N., Trefilov, V. I. and **Shtyka, L. G.** On the reason for the embrittlement of the age-hardening alloy Nb–Zr–C 3, 143
Vasil'yeva, L. A., Sokolov, Yu. V. and **Tofpenets, R. L.** Crystallographic relations of the phases in a eutectic nickel–tungsten composite 3, 118
Vas'kovskii, V. O. *See* **Kandaurova, G. S., Vas'kovskii, V. D.** and **Lesnik, V. V.** 4, 81
Vas'kovskiy, V. O. *See* **Ivanov, O. A., Kumeyshin, V. F., Vas'kovskiy, V. O.** and **Laletin, Ye. V.** 1, 40
Vaynshteyn, A. A. and **Gal'perina, B. A.** Calculation of elastic moduli and linear expansion coefficients of axial textures with h.c.p. lattice 1, 176
Vedyayev, A. V., Granovskiy, A. B., Kotel'nikova, O. A. and **Kondorskiy, Ye. I.** Anomalies in the concentration dependence of the lifetime of conduction electrons of ferromagnetic alloys with *s–f* exchange 5, 26
Veretennikov, I. B. *See* **Ayzentson, Ye. G., Veretennikov, I. B., Volyntsev, A. B.** and **Spivak, L. V.** 6, 137
Veretennikov, L. M. *See* **Arkhipova, N. K., Veretennikov, L. M., Klotsman, S. M., Tatarinova, G. N.** and **Timofeyev, A. N.** 1, 92
Verkhovskiy, S. V. *See* **Aleksashin, B. A., Verkhovskiy, S. V., Ugodnikova, L. A., Stepanov, A. P., Arkhipov, V. Ye.** and **Goshchitskiy, B. N.** 3, 76
Vershinina, L. I. and **Pyn'ko, V. G.** The nature of perpendicular anisotropy in crystalline and amorphous Co–Pd films 3, 57
Vladimirov, V. I. and **Gorobey, N. N.** Nucleation mechanism of the pinning of mobile dislocation segments by impurity atmospheres 2, 159
Vladimirov, V. I. and **Kusov, A. A.** Interaction of dislocation avalanches with groups of dipoles 2, 154
Vlasov, K. B., Rinkevich, A. B. and **Burkhanov, A. M.** Ultrasonic absorption in tungsten and molybdenum in a strong magnetic field 2, 83
Vlasov, K. B. and **Rozenberg, Ye. A.** The magnetoresistance of a weakly magnetic, synthetic single crystals of hematite 3, 73
Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G. and **Piratinskaya, I. I.** Magnetic properties of monocrystalline $FeGe_2$ 4, 89
Vlasov, N. M. Influence of the annihilation of radiation point defects on changes in the dislocation structure of a crystal 4, 19
Vlasova, N. I. *See* **Onopriyenko, L. G.** and **Vlasova, N. I.** 3, 89
Volchok, O. I. *See* **Gindin, I. A., Volchok, O. I., Druinskiy, Ye. I.** and **Aksenov, V. K.** 1, 136
Volkova, R. P., Lebedeva, M. V., Palatnik, L. A. and **Pugachev, A. T.** Low-temperature homogenization in polycrystalline PdAg film couples 5, 191

Vologin, V. G. *See* **Dubinin, S. F., Vologin, V. G., Sidorov, S. K., Syromyatnikov, V. N.** and **Teploukhov, S. G.** 3, 46
Voloshko, I. A. *See* **Rozenberg, V. M.** and **Voloshko, I. A.** 3, 198
Volyntsev, A. B. *See* **Ayzentson, Ye. G., Veretennikov, I. B., Volyntsev, A. B.** and **Spivak, L. V.** 6, 137
Vorontsov, V. B. *See* **Gubernatorov, V. V., Bryshko, N. A., Sokolov, B. K., Sidorov, V. A., Gervas'yeva, I. V., Vorontsov, V. B.** and **Bukhvalov, O. B.** 6, 69
Vozilkin, V. A., Korzhov, V. P. and **Trenogina, T. L.** Structure and superconductive properties of titanium–niobium alloys with additions of silicon and germanium 5, 79
Vyatkin, A. F. *See* **Andreyev, L. A.** and **Vyatkin, A. F.** 5, 100
Vysotskiy, A. A. Peculiarities of boundary relaxation of chromium alloys on addition of rhenium and zirconium 3, 148
V'yugov, P. N. *See* **Gindin, I. A., Sokolenko, V. I., Starodubov, Ya. D.** and **V'yugov, P. N.** 2, 168

Yakimov, I. I., Yegorov, S. N. and **Litvintsev, V. V.** Nuclear gamma resonance investigation of ordering in films of the alloy Fe–49% Ni 3, 181
Yakovchuk, V. Yu. *See* **Pol'skiy, A. I., Rizunenko, V. I., Tyurnev, V. V.** and **Yakovchuk V. Yu.** 5, 75
Yakovlev, G. P. *See* **Glotova, L. S., Dunayev, F. N.** and **Yakovlev, G. P.** 6, 62
Yaroslavskiy, G. Ya., Kondrat'yev, S. Yu., Koval', Yu. N. and **Chaykovskiy, B. S.** Amplitude dependence of the dissipation of mechanical vibration energy in alloys of Cu–Al–*X* 4, 115
Yashnikov, V. P. *See* **Gnesin, V. A., Karpov, M. I.** and **Yashnikov, V. P.** 4, 109
Yasyreva, L. P. *See* **Syutkina, V. I., Yasyreva, L. P.** and **Abdulov, R. Z.** 2, 172
Yedneral, A. F., Rusanenko, V. V. and **Smirnova, A. V.** On the structure of the intermetallic phase precipitated during maraging of the alloy Fe–18% Ni–3% Si 3, 111
Yegorov, S. N. *See* **Yakimov, I. I., Yegorov, S. N.** and **Litvintsev, V. V.** 3, 181
Yelsukova, T. F. *See* **Afanas'yev, N. I.** and **Yelsukova, T. F.** 2, 129
Yelsukova, T. F. *See* **Afanas'yev, N. I.** and **Yelsukova, T. F.** 2, 142
Yermakov, A. Ye., Yurchikov, Ye. Ye. and **Barinov, V. A.** Ferromagnetism in YCo_2 powders produced by machine grinding 2, 90
Yermolenko, A. S. Magnetization anomalies of monocrystalline rare-earth compounds with cobalt 3, 203
Yermolenko, A. S. Magnetocrystalline anisotropy of neodymium and terbium ions in RCo_5 compounds 4, 74
Yermolova, M. I., Bezgina, V. I., Karpova, I. G., Mishina, A. A., Solonina, O. P. and **Sokolova, A. Yu.** Formation and decomposition of α'' phase in two-phase titanium alloys 6, 97
Yermolova, M. I., Zhebyneva, N. F., Solonina, O. P. and **Ovchinnikova, G. V.** Structure transformations during cold deformation of a metastable α'' phase 4, 104
Yerofeyev, V. Ya., Monasevich, L. A., Pavskaya, V. A. and **Paskal', Yu. I.** Precipitation hardening during martensitic transformation of titanium nickelide 5, 119
Yesin, V. O., Krivonosova, A. S., Fedorova, T. G., Revun, S. A. and **Dyakina, V. P.** Correlation of dislocation density and residual resistivity of aluminium single crystals 4, 193
Yesin, V. O., Porozkov, V. N. and **Danilyuk V. I.** Free surface energy of metals with an f.c.c. structure 2, 149

Yesin, Yu. O. *See* **Valishev, M. G., Yesin, Yu. O.** and **Gel'd, P. V.** 6, 158
Yesina, N. K., Tiunov, V. F. and **Zaykova, V. A.** The interrelation of the lattice state of Fe–3% Si crystals with the domain structure dynamics and electromagnetic losses 2, 68
Yurchikov, Ye. Ye. *See* **Yermakov, A. Ye., Yurchikov, Ye. Ye.** and **Barinov, V. A.** 2, 90

Zaborov, A. V. and **Medvedev, M. V.** Model of a diluted ferromagnet with magnetic moments dependent on the local environment 4, 23
Zakharchenko, I. G., Ivaniy, V. S., Ivaniy, N. V. and **Kshnyakin, V. S.** Anisotropy of the elastic properties of textured metals and alloys with a hexagonal structure 1, 167
Zakharova, M. I. *See* **Sizov, R. A., Zakharova, M. I., Novikov, I. I., Bannykh, O. A.** and **Gulyayev, V. N.** 3, 188
Zasimchuk, I. K. *See* **Sandler, L. M., Naglyuk, Ya. V., Zasimchuk, I. K.** and **Zhivolub, Ye. L.** 3, 191
Zaveryukha, A. A. *See* **Gvozdev, A. G., Kazadzhan, L. B., Kutsak, V. M., Logunov, V. V.** and **Zaveryukha, A. A.** 5, 181
Zaykova, V. A. *See* **Yesina, N. K., Tiunov, V. F.** and **Zaykova, V. A.** 2, 68
Zaynullina, R. I. *See* **Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G.** and **Piratinskaya, I. I.** 4, 89
Zelenin, S. P., Kondrat'yev, A. S. and **Kuchma, A. Ye.** Quantum waves in the electron fluid of thin metallic films 2, 199
Zhebyneva, N. F. *See* **Yermolova, M. I., Zhebyneva, N. F., Solonina, O. P.** and **Ovchinnikova, G. V.** 4, 104
Zhivolub, Ye. L. *See* **Sandler, L. M., Naglyuk, Ya. V., Zasimchuk, I. K.** and **Zhivolub, Ye. L.** 3, 191
Zhukova, Ye. N. *See* **Fonshteyn, N. M., Bronfin, B. M., Shifman, A. Z., Zhukova, Ye. N.** and **Bortsov, A. N.** 1, 157
Zinenkova, G. M., Pashchenko, T. N. and **Tyapunina, N. A.** The structure of two-layer dislocation block boundaries in zinc 6, 141
Zlenko, V. Ya. *See* **Fedyukina, G. N., Fedorov, N. V.** and **Zlenko, V. Ya.** 1, 72
Zolotorevskiy, N. Yu. *See* **Rybin, V. V., Titovets, Yu. F., Teplitskiy, D. M.** and **Zolotorevskiy, N. Yu.** 3, 122
Zolotorevskiy, V. S. *See* **Istomin-Kastrovskiy, V. V., Bakirov, Zh. T., Postnikov, N. S.** and **Zolotorevskiy, V. S.** 3, 138
Zolotukhin, I. V. *See* **Khonik, V. A.** and **Zolotukhin, I. V.** 6, 164
Zubchenko, V. S., Petrenko, P. V. and **Tatarov, A. A.** Influence of isochronal annealing on the residual resistivity of alloy Ag–15 at.% Al 4, 154
Zuyev, A. P. *See* **Gnesin, B. A., Zuyev, A. P., Karpov, M. I., Kireyko, V. V., Kopetskiy, Ch. V., Marchenko, V. A.** and **Chukalina, L. V.** 2, 119
Zvereva, Z. F. *See* **Teytel', Ye. I., Potapenko, Yu. I., Makhnev, Ye. S., Notkin, A. B.** and **Zvereva, Z. F.** 1, 142